
Ancient TL

www.ancienttl.org · ISSN: 2693-0935

Ancient TL, 2010. *Bibliography*. Ancient TL 28(2): 71-77. <https://doi.org/10.26034/la.atl.2010.440>

This article is published under a *Creative Commons Attribution 4.0 International* (CC BY):
<https://creativecommons.org/licenses/by/4.0>



© Ancient TL, 2010

Bibliography

Compiled by Daniel Richter

From 1st May 2010 to 31st October 2010

Adamiec, G., Duller, G. A. T., Roberts, H. M., and Wintle, A. G. (2010). Improving the TT-OSL SAR protocol through source trap characterisation. *Radiation Measurements* **45**, 768-777.

Ankjærgaard, C., and Jain, M. (2010). Optically stimulated phosphorescence in orthoclase feldspar over the millisecond to second time scale. *Journal of Luminescence* **130**, 2346-2355.

Ankjærgaard, C., Jain, M., Thomsen, K. J., and Murray, A. S. (2010). Optimising the separation of quartz and feldspar optically stimulated luminescence using pulsed excitation. *Radiation Measurements* **45**, 778-785.

Argyilan, E. P., Forman, S. L., and Thompson, T. A. (2010). Variability of Lake Michigan water level during the past 1000 years reconstructed through optical dating of a coastal strandplain. *The Holocene* **20**, 723-731.

Astakhov, V., and Nazarov, D. (2010). Correlation of Upper Pleistocene sediments in northern West Siberia. *Quaternary Science Reviews* **29**, 3615-3629.

Avni, Y., Zhang, J. F., Shelach, G., and Zhou, L. P. (2010). Upper Pleistocene-Holocene geomorphic changes dictating sedimentation rates and historical land use in the valley system of the Chifeng region, Inner Mongolia, northern China. *Earth Surface Processes and Landforms* **35**, 1251-1268.

Bailey, R. M. (2010). Direct measurement of the fast component of quartz optically stimulated luminescence and implications for the accuracy of optical dating. *Quaternary Geochronology* **5**, 559-568.

Balescu, S., Lamothe, M., and Panaiotu, C. (2010). IRSL chronology of eastern Romanian loess sequences. *Quaternaire* **21**, 115-126.

Baltrunas, V., Karmaza, B., Molodkov, A., Sinkunas, P., Svedas, K., and Zinkute, R. (2010). Structure, formation and geochronology of the late Pleistocene and Holocene cover deposits in South-Eastern Lithuania. *Sedimentary Geology* **231**, 85-97.

Bates, M. R., Briant, R. M., Rhodes, E. J., Schwenninger, J.-L., and Whittaker, J. E. (2010). A new chronological framework for Middle and Upper Pleistocene landscape evolution in the Sussex/Hampshire Coastal Corridor, UK. *Proceedings of the Geologists' Association* **121**, 369-392.

Benito, G., Sancho, C., Peña, J. L., Machado, M. J., and Rhodes, E. J. (2010). Large-scale karst subsidence and accelerated fluvial aggradation during MIS6 in NE Spain: climatic and paleohydrological implications. *Quaternary Science Reviews* **29**, 2694-2704.

Berger, G. W., Murray, A. S., Thomsen, K. J., and Domack, E. W. (2010). Dating ice shelf edge marine sediments: A new approach using single-grain quartz luminescence. *Journal of Geophysical Research-Earth Surface* **115**, F03003, 10.1029/2009jf001415.

Berger, G. W., Sawyer, T. L., and Unruh, J. R. (2010). Single- and Multigrain Luminescence Dating of Sediments Related to the Greenville Fault, Eastern San Francisco Bay Area, California. *Bulletin of the Seismological Society of America* **100**, 1051-1072.

Boulter, C., Bateman, M. D., and Frederick, C. D. (2010). Understanding geomorphic responses to environmental change: a 19 000-year case study from semi-arid central Texas, USA. *Journal of Quaternary Science* **25**, 889–902.

Bouquillon, A., Zink, A., and Porto, E. (2010). The Louvre Tanagras in the light of scientific analysis. Authenticity, Materials, Provenances. In "Tanagras -Figurines for life and eternity - The musee du louvre's collection of Greek figurines." (V. Jeammet, Ed.), pp. 286-309. Fundacion Bancaja Valencia

Cheetham, M. D., Keene, A. F., Erskine, W. D., Bush, R. T., Fitzsimmons, K., Jacobsen, G. E., and Fallon, S. J. (2010). Resolving the Holocene alluvial record in southeastern Australia using luminescence and radiocarbon techniques. *Journal of Quaternary Science* **25**, 1160-1168.

Chithambo, M. L. (2011). A time-correlated photon counting system for measurement of pulsed optically stimulated luminescence. *Journal of Luminescence* **131**, 92-98.

Chruscinska, A. (2010). On some fundamental features of optically stimulated luminescence measurements. *Radiation Measurements* **45**, 991-999.

Coelho, M. R., Martins, V. M., Vidal-Torrado, P., de Gouveia Souza, C. R., Perez, X. L. O., and Vázquez, F. M. (2010). Relationship between soil, landscape and geological substrate of the sandy coastal plain of são paulo state. *Relação solo-relevo-substrato geológico nas restingas da planície costeira do estado de são paulo* **34**, 833-846.

Cordier, S., Frechen, M., and Tsukamoto, S. (2010). Methodological aspects on luminescence dating of fluvial sands from the Moselle Basin, Luxembourg. *Geochronometria* **35**, 67-74.

de Torres, T., Ortiz, J. E., Grün, R., Eggins, S., Valladas, H., Mercier, N., Tisnérat-Laborde, N., Juliá, R., Soler, V., Martínez, E., Sánchez-Moral, S., Canaveras, J. C., Lario, J., Badal, E., Lalueza-Fox, C., Rosas, A., Santamría, D., de la Rasilla, M., and Fortea, J. (2010). Dating of the Hominoid (*Homo Neanderthalensis*) remains accumulation from el Sidrón cave (Piloña, Asturias, North Spain): An example of a multi-methodological approach to the dating of upper pleistocene sites. *Archaeometry* **52**, 680-705.

Deeben, J., Hiddink, H., Huisman, D. J., Müller, A., Schokker, J., and Wallinga, J. (2010). Middle Palaeolithic artefact migration due to periglacial processes; a geological investigation into near-surface occurrence of Palaeolithic artefacts (Limburg-Eastern Brabant coversand region, the Netherlands). *Geologie en Mijnbouw/Netherlands Journal of Geosciences* **89**, 35-50.

Dehnert, A., Preusser, F., Kramers, J. D., AkÇAr, N., Kubik, P. W., Reber, R., and SchlÜchter, C. (2010). A multi-dating approach applied to proglacial sediments attributed to the most extensive glaciation of the Swiss Alps. *Boreas* **39**, 620-632.

Dreibrodt, S., Lomax, J., Nelle, O., Lubos, C., Fischer, P., Mitusov, A., Reiss, S., Radtke, U., Nadeau, M., Grootes, P. M., and Bork, H.-R. (2010). Are mid-latitude slopes sensitive to climatic oscillations? Implications from an Early Holocene sequence of slope deposits and buried soils from eastern Germany. *Geomorphology* **122**, 351-369.

Enzel, Y., Amit, R., Crouvi, O., and Porat, N. (2010). Abrasion-derived sediments under intensified winds at the latest Pleistocene leading edge of the advancing Sinai-Negev erg. *Quaternary Research* **74**, 121-131.

Fattibene, P., and Callens, F. (2010). EPR dosimetry with tooth enamel: A review. *Applied Radiation and Isotopes* **68**, 2033-2116.

Feathers, J., Kipnis, R., Piló, L., Arroyo-Kalin, M., and Coblenz, D. (2010). How old is Luzia? Luminescence dating and stratigraphic integrity at Lapa Vermelha, Lagoa Santa, Brazil. *Geoarchaeology* **25**, 395-436.

Fedorowicz, S., and Gaigalas, A. (2010). Geochronological and Sedimentological Interpretation of Interglacial Aquatic Sediments based on TL Dating. *Geochronometria* **35**, 75-83.

- Ferreira de Souza, L. B., Guzzo, P. L., and Khoury, H. J. (2010). Correlating the TL response of γ -irradiated natural quartz to aluminum and hydroxyl point defects. *Journal of Luminescence* **130**, 1551-1556.
- Fitzsimmons, K. E., and Barrows, T. T. (2010). Holocene hydrologic variability in temperate southeastern Australia: An example from Lake George, New South Wales. *The Holocene* **20**, 585-597.
- Gabor, A. T., Vasiliniuc, Ș., Bădăraș, A. S., Begy, R., and Cosma, C. (2010). Testing the potential of optically stimulated luminescence dating methods for dating soil covers from the forest steppe zone in Transylvanian Basin. *Carpathian Journal of Earth and Environmental Sciences* **5**, 137-144.
- Ganzawa, Y. (2010). Red thermoluminescence (RTL) sensitivity change in quartz. *Radiation Measurements* **45**, 985-990.
- Garcia-Guinea, J., Correcher, V., Rodriguez-Lazcano, Y., Crespo-Feo, E., and Prado-Herrero, P. (2010). Light emission bands in the radioluminescence and thermoluminescence spectra of kaolinite. *Applied Clay Science* **49**, 306-310.
- Grapes, R. H., Rieser, U., and Wang, N. (2010). Reply to Lowe, D.J., Wilson, C.J.N., Newnham, R.M., Hogg, A.G. comment on Grapes, R., Rieser, U., Wang, N., 2010. Optical luminescence dating of a loess section containing a critical tephra marker horizon, SW North Island of New Zealand. *Quaternary Geochronology* **5**, 497-501.
- Gueli, A. M., Stella, G., Troja, S. O., Burrafato, G., Fontana, D., Ristuccia, G. M., and Zuccarello, A. R. (2010). Historical buildings: Luminescence dating of fine grains from bricks and mortar. *Nuovo Cimento della Societa Italiana di Fisica B* **125**, 719-729.
- Halfen, A. F., Fredlund, G. G., and Mahan, S. A. (2010). Holocene stratigraphy and chronology of the Casper Dune Field, Casper, Wyoming, USA. *The Holocene* **20**, 773-783.
- Hall, S. A., Miller, M. R., and Goble, R. J. (2010). Geochronology of the Bolson sand sheet, New Mexico and Texas, and its archaeological significance. *Geological Society of America Bulletin* **122**, 1950-1967.
- Harvey, J. A., Haverland, N. P., and Kearfott, K. J. (2010). Characterization of the glow-peak fading properties of six common thermoluminescent materials. *Applied Radiation and Isotopes* **68**, 1988-2000.
- Haws, J. A., Benedetti, M. M., Funk, C. L., Bicho, N. F., Daniels, J. M., Hesp, P. A., Minckley, T. A., Forman, S. L., Jeraj, M., Gibaja, J. F., and Hockett, B. S. (2010). Coastal wetlands and the Neanderthal settlement of Portuguese Estremadura. *Geoarchaeology* **25**, 709-744.
- Helmens, K. F., and Engels, S. (2010). Ice-free conditions in eastern Fennoscandia during early Marine Isotope Stage 3: Lacustrine records. *Boreas* **39**, 399-409.
- Herman, F., Rhodes, E. J., Braun, J., and Heiniger, L. (2010). Uniform erosion rates and relief amplitude during glacial cycles in the Southern Alps of New Zealand, as revealed from OSL-thermochronology. *Earth And Planetary Science Letters* **297**, 183-189.
- Hollingsworth, J., Fattahi, M., Walker, R., Talebian, M., Bahroudi, A., Bolourchi, M. J., Jackson, J., and Copley, A. (2010). Oroclinal bending, distributed thrust and strike-slip faulting, and the accommodation of Arabia-Eurasia convergence in NE Iran since the Oligocene. *Geophysical Journal International* **181**, 1214-1246.
- Holt, K. A., Wallace, R. C., Neall, V. E., Kohn, B. P., and Lowe, D. J. (2010). Quaternary tephra marker beds and their potential for palaeoenvironmental reconstruction on Chatham Island, east of New Zealand, southwest Pacific Ocean. *Journal of Quaternary Science* **25**, 1169-1178.

- Jacobs, Z. (2010). An OSL chronology for the sedimentary deposits from Pinnacle Point Cave 13B--A punctuated presence. *Journal of Human Evolution* **59**, 289-305.
- Jaek, J., Molod'kov, A., and Vasil'chenko, V. (2010). Mechanisms of luminescent responses in thermal and optical stimulation of potassium feldspars. *Journal of Applied Spectroscopy* **77**, 441-444.
- Kadereit, A., Kühn, P., and Wagner, G. A. (2010). Holocene relief and soil changes in loess-covered areas of south-western Germany: The pedosedimentary archives of Bretten-Bauerbach (Kraichgau). *Quaternary International* **222**, 96-119.
- Kiyak, N. G., and Erginal, A. E. (2010). Optical stimulated luminescence dating study of eolianite on the Island of Bozcaada, Turkey: Preliminary results. *Journal of Coastal Research* **26**, 673-680.
- Kunz, A., Frechen, M., Ramesh, R., and Urban, B. (2010). Luminescence dating of late holocene dunes showing remnants of early settlement in Cuddalore and evidence of monsoon activity in south east India. *Quaternary International* **222**, 194-208.
- Küster, M., and Preusser, F. (2009). Late Glacial and Holocene aeolian sands and soil formation from the Pomeranian outwash plain (Mecklenburg, NE-Germany). *Eiszeitalter und Gegenwart / Quaternary Science Journal* **58**, 156-163.
- Lauer, T., Frechen, M., Hoselmann, C., and Tsukamoto, S. (2010). Fluvial aggradation phases in the Upper Rhine Graben--new insights by quartz OSL dating. *Proceedings of the Geologists' Association* **121**, 154-161.
- Liberda, J. J., Thompson, J. W., Rink, W. J., Quirós, F. B. d., Jayaraman, R., Selvaretinam, K., Chancellor-Maddison, K., and Volterra, V. (2010). ESR dating of tooth enamel in Mousterian layer 20, El Castillo, Spain. *Geoarchaeology* **25**, 467-474.
- Liritzis, I., Drivaliari, N., Polymeris, G. S., and Katagas, C. (2010). New quartz technique for OSL dating of limestones. *Mediterranean Archaeology and Archaeometry* **10**, 81-87.
- Long, H., Lai, Z., Wang, N., and Li, Y. (2010). Holocene climate variations from Zhuyeze terminal lake records in East Asian monsoon margin in arid northern China. *Quaternary Research* **74**, 46-56.
- Loope, H. M., Loope, W. L., Goble, R. J., Fisher, T. G., Jol, H. M., and Seong, J. C. (2010). Early Holocene dune activity linked with final destruction of Glacial Lake Minong, eastern Upper Michigan, USA. *Quaternary Research* **74**, 73-81.
- Lowe, D. J., Wilson, C. J. N., Newnham, R. M., and Hogg, A. G. (2010). Dating the Kawakawa/Oruanui eruption: Comment on "Optical luminescence dating of a loess section containing a critical tephra marker horizon, SW North Island of New Zealand" by R. Grapes et al. *Quaternary Geochronology* **5**, 493-496.
- Lowick, S. E., Preusser, F., Pini, R., and Ravazzi, C. (2010). Underestimation of fine grain quartz OSL dating towards the Eemian: Comparison with palynostratigraphy from Azzano Decimo, northeastern Italy. *Quaternary Geochronology* **5**, 583-590.
- Lowick, S. E., Preusser, F., and Wintle, A. G. (2010). Investigating quartz optically stimulated luminescence dose-response curves at high doses. *Radiation Measurements* **45**, 975-984.
- Lüthgens, C., Böse, M., and Krbetschek, M. (2010). On the age of the young morainic morphology in the area ascribed to the maximum extent of the Weichselian glaciation in north-eastern Germany. *Quaternary International* **222**, 72-79.

- Madsen, A. T., Murray, A. S., Andersen, T. J., and Pejrup, M. (2010). Spatial and temporal variability of sediment accumulation rates on two tidal flats in Lister Dyb tidal basin, Wadden Sea, Denmark. *Earth Surface Processes and Landforms* **35**, 1556–1572.
- Mandowski, A., Orzechowski, J., and Mandowska, E. (2010). Kinetics of excitation in TL and OSL detectors. *Optical Materials* **32**, 1568-1572.
- Manfred, M. E., Gabriel, N. T., Yukihiro, E. G., and Talghader, J. J. (2010). Thermoluminescence measurement technique using millisecond temperature pulses. *Radiation Protection Dosimetry* **139**, 560-564.
- Martins, A. A., Cunha, P. P., Rosina, P., Osterbeek, L., Cura, S., Grimaldi, S., Gomes, J., Buylaert, J.-P., Murray, A. S., and Matos, J. (2010). Geoarchaeology of Pleistocene open-air sites in the Vila Nova da Barquinha-Santa Cita area (Lower Tejo River basin, central Portugal). *Proceedings of the Geologists' Association* **121**, 128-140.
- Niedermayer, M., and Bayer, A. (2010). Pulsed Photon-Stimulated Luminescence (PPSL) as a tool in retrospective dosimetry. *Radiation Protection Dosimetry* **139**, 494-504.
- Nielsen, A. H., Elberling, B., and Pejrup, M. (2010). Soil development rates from an optically stimulated luminescence-dated beach ridge sequence in Northern Jutland, Denmark. *Canadian Journal of Soil Science* **90**, 295-307.
- Novothy, Á., Frechen, M., and Horváth, E. (2010). Luminescence dating of periods of sand movement from the Gödöllo Hills, Hungary. *Geomorphology* **122**, 254-263.
- Outram, Z., Batt, C. M., Rhodes, E. J., and Dockrill, S. J. (2010). The integration of chronological and archaeological information to date building construction: an example from Shetland, Scotland, UK. *Journal of Archaeological Science* **37**, 2821-2830.
- Pawley, S. M., Toms, P., Armitage, S. J., and Rose, J. (2010). Quartz luminescence dating of Anglian Stage (MIS 12) fluvial sediments: Comparison of SAR age estimates to the terrace chronology of the Middle Thames valley, UK. *Quaternary Geochronology* **5**, 569-582.
- Ray, Y., and Srivastava, P. (2010). Widespread aggradation in the mountainous catchment of the Alaknanda-Ganga River System: timescales and implications to Hinterland-foreland relationships. *Quaternary Science Reviews* **29**, 2238-2260.
- Rehak, K., Niedermann, S., Preusser, F., Strecker, M. R., and Echtler, H. P. (2010). Late Pleistocene landscape evolution in south-central Chile constrained by luminescence and stable cosmogenic nuclide dating. *Bulletin of the Geological Society of America* **122**, 1235-1247.
- Reimann, T., Naumann, M., Tsukamoto, S., and Frechen, M. (2010). Luminescence dating of coastal sediments from the Baltic Sea coastal barrier-spit Darss-Zingst, NE Germany. *Geomorphology* **122**, 264-273.
- Richter, D. (2010). Thermoluminescence dating of heated flint artefacts from Ifri n'Ammar. In "La Grotte d'Ifri n'Ammar. Le Paléolithique Moyen." (M. Nami, and J. Moser, Eds.), pp. 325-337. Forschungen zur Archäologie Außereuropäischer Kulturen. Reichert Verlag, Wiesbaden.
- Richter, D., Dombrowski, H., Neumaier, S., Guibert, P., and Zink, A. C. (2010). Environmental gamma dosimetry with OSL of α -Al₂O₃:C for in situ sediment measurements. *Radiation Protection Dosimetry* **141**, 27-35.

- Richter, D., Moser, J., Nami, M., Eiwanger, J., and Mikdad, A. (2010). New chronometric data from Ifri n'Ammar (Morocco) and the chronostratigraphy of the Middle Palaeolithic in the Western Maghreb. *Journal of Human Evolution* **59**, 672-679.
- Rink, W. J., and López, G. I. (2010). OSL-based lateral progradation and aeolian sediment accumulation rates for the Apalachicola Barrier Island Complex, North Gulf of Mexico, Florida. *Geomorphology* **123**, 330-342.
- Sarala, P., Pihlaja, J., Putkinen, N., and Murray, A. (2010). Composition and origin of the middle Weichselian interstadial deposit in Veskonien, Northern Finland. *Estonian Journal of Earth Sciences* **59**, 117-124.
- Shulmeister, J., Thackray, G. D., Rieser, U., Hyatt, O. M., Rother, H., Smart, C. C., and Evans, D. J. A. (2010). The stratigraphy, timing and climatic implications of glaciolacustrine deposits in the middle Rakaia Valley, South Island, New Zealand. *Quaternary Science Reviews* **29**, 2362-2381.
- Sierralta, M., Kele, S., Melcher, F., Hambach, U., Reinders, J., van Geldern, R., and Frechen, M. (2010). Uranium-series dating of travertine from Sütto: Implications for reconstruction of environmental change in Hungary. *Quaternary International* **222**, 178-193.
- Sinha, S., Suresh, N., Kumar, R., Dutta, S., and Arora, B. R. (2010). Sedimentologic and geomorphic studies on the Quaternary alluvial fan and terrace deposits along the Ganga exit. *Quaternary International* **227**, 87-103.
- Stauch, G., and Lehmkuhl, F. (2010). Quaternary glaciations in the Verkhoyansk Mountains, Northeast Siberia. *Quaternary Research* **74**, 145-155.
- Stevens, T., and Lu, H. (2010). Radiometric dating of the late Quaternary summer monsoon on the Loess Plateau, China, pp. 87-108. Geological Society Special Publication 342.
- Thakur, V. C., Pandey, A. K., Nautiyal, C. M., Sundriyal, Y. P., Khanduri, B. M., Shinde, D. P., Suresh, N., and Singhvi, A. K. (2010). Geo-Archeology at Khajawar in Western Uttar Pradesh plain. *Current Science* **98**, 1112-1119.
- Thamó-Bozsó, E., Magyari, Á., Musitz, B., and Nagy, A. (2010). OSL ages and origin of Late Quaternary sediments in the North Transdanubian Hills (Hungary): timing of neotectonic activity. *Quaternary International* **222**, 209-220.
- Thiel, C., Coltorti, M., Tsukamoto, S., and Frechen, M. (2010). Geochronology for some key sites along the coast of Sardinia (Italy). *Quaternary International* **222**, 36-47.
- Wallinga, J., and Bos, I. J. (2010). Optical dating of fluvio-deltaic clastic lake-fill sediments - A feasibility study in the Holocene Rhine delta (western Netherlands). *Quaternary Geochronology* **5**, 602-610.
- Westaway, K. E., Sutikna, T., Morwood, M. J., and Zhao, J.-X. (2010). Establishing rates of karst landscape evolution in the Tropics: a context for the formation of archaeological sites in western Flores, Indonesia. *Journal of Quaternary Science* **25**, 1018-1037.
- Xu, L., Ou, X., Lai, Z., Zhou, S., Wang, J., and Fu, Y. (2010). Timing and style of Late Pleistocene glaciation in the Queer Shan, northern Hengduan Mountains in the eastern Tibetan Plateau. *Journal of Quaternary Science* **25**, 957-966.
- Yang, L., Zhou, J., Lai, Z., Long, H., and Zhang, J. (2010). Lateglacial and Holocene dune evolution in the Horqin dunefield of northeastern China based on luminescence dating. *Palaeogeography, Palaeoclimatology, Palaeoecology* **296**, 44-51.

Yanites, B. J., Tucker, G. E., Mueller, K. J., Chen, Y. G., Wilcox, T., Huang, S. Y., and Shi, K. W. (2010). Incision and channel morphology across active structures along the Peikang River, central Taiwan: Implications for the importance of channel width. *Bulletin of the Geological Society of America* **122**, 1192-1208.

Zhang, J.-F., Huang, W.-W., Yuan, B.-Y., Fu, R.-Y., and Zhou, L.-P. (2010). Optically stimulated luminescence dating of cave deposits at the Xiaogushan prehistoric site, northeastern China. *Journal of Human Evolution* **59**, 514-524.

Zink, A. (2009). Luminescence date and archaeological ages: An epistemology of the luminescence dating. In "Proceedings of the XV World Congress UISPP/ Actes du XV Congrès Mondial (Lisbon, 4-9 September 2006), vol. 32." (L. Oosterbeek, Ed.), pp. 113-116. British Archaeological Reports, International Series 2045. Archaeopress.

Zink, A. J. C., Dabis, S., Porto, E., and Castaing, J. (2010). Alpha efficiency under TL and OSL - A subtraction technique using OSL and TL to detect artificial irradiation. *Radiation Measurements* **45**, 649-652.

