
Ancient TL

www.ancienttl.org · ISSN: 2693-0935

Ancient TL, 2011. *Bibliography*. Ancient TL 29(1): 29-39. <https://doi.org/10.26034/la.atl.2011.447>

This article is published under a *Creative Commons Attribution 4.0 International* (CC BY):
<https://creativecommons.org/licenses/by/4.0>



© Ancient TL, 2011

Bibliography

Compiled by Daniel Richter

From 1st November 2010 to 30th April 2011

Alappat, L., Tsukamoto, S., Singh, P., Srikanth, D., Ramesh, R., and Frechen, M. (2010). Chronology of Cauvery delta sediments from shallow subsurface cores using elevated-temperature post-IR IRSL dating of feldspar. *Geochronometria* **37**, 37-47.

Alexanderson, H., Landvik, J. Y., Molodkov, A., and Murray, A. S. (2011). A multi-method approach to dating middle and late Quaternary high relative sea-level events on NW Svalbard - A case study. *Quaternary Geochronology* **6**, 326-340.

Alexanderson, H., Landvik, J. Y., and Ryen, H. T. (2011). Chronology and styles of glaciation in an inter-fjord setting, northwestern Svalbard. *Boreas* **40**, 175-197.

Andreucci, S., Clemmensen, L. B., and Pascucci, V. (2010). Transgressive dune formation along a cliffed coast at 75 ka in Sardinia, Western Mediterranean: a record of sea-level fall and increased windiness. *Terra Nova* **22**, 424-433.

Anselmetti, F. S., Drescher-Schneider, R., Furrer, H., Graf, H. R., Lowick, S. E., Preusser, F., and Riedi, M. A. (2010). A ~180,000 years sedimentation history of a perialpine overdeepened glacial trough (Wehntal, N-Switzerland). *Swiss Journal of Geosciences* **103**, 345-361.

Arbogast, A. F., Bigsby, M. E., DeVisser, M. H., Langley, S. A., Hanson, P. R., Daly, T. A., and Young, A. R. (2010). Reconstructing the age of coastal sand dunes along the northwestern shore of Lake Huron in Lower Michigan: Paleoenvironmental implications and regional comparisons. *Aeolian Research* **2**, 83-92.

Armitage, S. J., Jasim, S. A., Marks, A. E., Parker, A. G., Usik, V. I., and Uerpmann, H.-P. (2011). The Southern Route "Out of Africa": Evidence for an Early Expansion of Modern Humans into Arabia. *Science* **331**, 453-456.

Baartman, J. E. M., Veldkamp, A., Schoorl, J. M., Wallinga, J., and Cammeraat, L. H. (2011). Unravelling Late Pleistocene and Holocene landscape dynamics: The Upper Guadalentín Basin, SE Spain. *Geomorphology* **125**, 172-185.

Barham, L., Phillips, W. M., Maher, B. A., Karloukovski, V., Duller, G. A. T., Jain, M., and Wintle, A. G. (2011). The dating and interpretation of a Mode 1 site in the Luangwa Valley, Zambia. *Journal of Human Evolution* **60**, 549-570.

Bateman, M. D., Carr, A. S., Dunajko, A. C., Holmes, P. J., Roberts, D. L., McLaren, S. J., Bryant, R. G., Marker, M. E., and Murray-Wallace, C. V. (2011). The evolution of coastal barrier systems: a case study of the Middle-Late Pleistocene Wilderness barriers, South Africa. *Quaternary Science Reviews* **30**, 63-81.

Benito, G., Thorndycraft, V. R., Rico, M. T., Sánchez-Moya, Y., Sopena, A., Botero, B. A., Machado, M. J., Davis, M., and Pérez-González, A. (2011). Hydrological response of a dryland ephemeral river to southern African climatic variability during the last millennium. *Quaternary Research* **75**, 471-482.

Berger, G. W., Doran, P. T., and Thomsen, K. J. (2010). Single-grain and multigrain luminescence dating of on-ice and lake-bottom deposits at Lake Hoare, Taylor Valley, Antarctica. *Quaternary Geochronology* **5**, 679-690.

Bertran, P., Bateman, M. D., Hernandez, M., Mercier, N., Millet, D., Sitzia, L., and Tastet, J.-P. (2011). Inland aeolian deposits of south-west France: facies, stratigraphy and chronology. *Journal of Quaternary Science* **26**, 374-

388.

Beukema, S. P., Krishnamurthy, R. V., Juyal, N., Basavaiah, N., and Singhvi, A. K. (2011). Monsoon variability and chemical weathering during the late Pleistocene in the Goriganga basin, higher central Himalaya, India. *Quaternary Research* **75**, 597-604.

Bianca, M., Catalano, S., De Guidi, G., Gueli, A. M., Monaco, C., Ristuccia, G. M., Stella, G., Tortorici, G., Tortorici, L., and Troja, S. O. (2011). Luminescence chronology of Pleistocene marine terraces of Capo Vaticano peninsula (Calabria, Southern Italy). *Quaternary International* **232**, 114-121.

Biswas, R. H., Morthekai, P., Gartia, R. K., Chawla, S., and Singhvi, A. K. (2011). Thermoluminescence of the meteorite interior: A possible tool for the estimation of cosmic ray exposure ages. *Earth And Planetary Science Letters* **304**, 36-44.

Blain, S., Guibert, P., Prigent, D., Lanos, P., Oberlin, C., Sapin, C., Bouvier, A., and Dufresne, P. (2011). Combined dating methods applied to building archaeology: The contribution of thermoluminescence to the case of the bell tower of St Martin's church, Angers (France). *Geochronometria* **38**, 55-63.

Boroda, R., Amit, R., Matmon, A., Team, A., Finkel, R., Porat, N., Enzel, Y., and Eyal, Y. (2011). Quaternary-scale evolution of sequences of talus flatirons in the hyperarid Negev. *Geomorphology* **127**, 41-52.

Bright, J., Kaufman, D. S., Forman, S. L., McIntosh, W. C., Mead, J. I., and Baez, A. (2010). Comparative dating of a Bison-bearing late-Pleistocene deposit, Térapa, Sonora, Mexico. *Quaternary Geochronology* **5**, 631-643.

Buylaert, J.-P., Huot, S., Murray, A. S., and Van Den Haute, P. (2011). Infrared stimulated luminescence dating of an Eemian (MIS 5e) site in Denmark using K-feldspar. *Boreas* **40**, 46-56.

Campbell, M. C., Fisher, T. G., and Goble, R. J. (2011). Terrestrial sensitivity to abrupt cooling recorded by aeolian activity in northwest Ohio, USA. *Quaternary Research* **75**, 411-416.

Campos, S. S., Almeida, G. M., Cardoso, L. X., de Lima, L. L., Carlos, A., and de Souza, S. O. (2010). Thermoluminescent dose reconstruction using quartz extracted from unfired buildings. *Journal of Physics: Conference Series* **249**, 012031.

Cao, Y., Li, S., Yao, M., and Zhang, H. (2010). Thermoluminescence of quartz from Shihu gold deposit, western Hebei province, China: some implications for gold exploration. *Central European Journal of Geosciences* **2**, 433-440.

Carvalho Jr., A. B., Guzzo, P. L., Sullasi, H. L., and Khoury, H. J. (2010). Effect of particle size in the TL response of natural quartz sensitized with high gamma dose. *Journal of Physics: Conference Series* **249**, 012027.

Chen, Y., Li, Y., Zhang, Y., Zhang, M., Zhang, J., Yi, C., and Liu, G. (2011). Late Quaternary deposition and incision sequences of the Golmud River and their environmental implications. *Quaternary International* **236**, 48-56.

Chithambo, M. L., Sane, P., and Tuomisto, F. (2011). Positron and luminescence lifetimes in annealed synthetic quartz. *Radiation Measurements* **46**, 310-318.

Christiansson, M., Bernhardsson, C., Mattsson, S., and Rääf, C. L. (2011). Using an optimised OSL single-aliquot regenerative-dose protocol for low-dose retrospective dosimetry on household salt. *Radiation Protection Dosimetry* **144**, 584-587.

Cunningham, A. C., and Wallinga, J. (2010). Selection of integration time intervals for quartz OSL decay curves. *Quaternary Geochronology* **5**, 657-666.

- Dunajko, A. C., and Bateman, M. D. (2010). Sediment provenance of the Wilderness barrier dunes, southern Cape coast, South Africa. *Terra Nova* **22**, 417-423.
- Ellwein, A. L., Mahan, S. A., and McFadden, L. D. (2011). New optically stimulated luminescence ages provide evidence of MIS3 and MIS2 eolian activity on Black Mesa, northeastern Arizona, USA. *Quaternary Research* **75**, 395-398.
- Elmejdoub, N., Mauz, B., and Jedoui, Y. (2011). Sea-level and climatic controls on Late Pleistocene coastal aeolianites in the Cap Bon peninsula, northeastern Tunisia. *Boreas* **40**, 198-207.
- Erkens, G., Hoffmann, T., Gerlach, R., and Klostermann, J. (2011). Complex fluvial response to Lateglacial and Holocene allogenic forcing in the Lower Rhine Valley (Germany). *Quaternary Science Reviews* **30**, 611-627.
- Fan, A., Li, S.-H., and Li, B. (2011). Observation of unstable fast component in OSL of quartz. *Radiation Measurements* **46**, 21-28.
- Frechen, M., Ellwanger, D., Hinderer, M., Lämmermann-Barthel, J., Neeb, I., and Techmer, A. (2010). Late Pleistocene fluvial dynamics in the Hochrhein Valley and in the Upper Rhine Graben: Chronological frame. *International Journal of Earth Sciences* **99**, 1955-1974.
- Fruergaard, M., Andersen, T. J., Nielsen, L. H., Madsen, A. T., Johannessen, P. N., Murray, A. S., Kirkegaard, L., and Pejrup, M. (2011). Punctuated sediment record resulting from channel migration in a shallow sand-dominated micro-tidal lagoon, Northern Wadden Sea, Denmark. *Marine Geology* **280**, 91-104.
- Ganzawa, Y., and Ike, M. (2011). SAR-RTL dating of single grains of volcanic quartz from the late Pleistocene Toya Caldera. *Quaternary Geochronology* **6**, 42-49.
- Gillmore, G. K., Stevens, T., Buylaert, J. P., Coningham, R. A. E., Batt, C., Fazeli, H., Young, R., and Maghsoudi, M. (2011). Geoarchaeology and the value of multidisciplinary palaeoenvironmental approaches: a case study from the Tehran Plain, Iran. *Geological Society, London, Special Publications* **352**, 49-67.
- Goedicke, C. (2011). Dating mortar by optically stimulated luminescence: A feasibility study. *Geochronometria* **38**, 42-49.
- Grove, K., Sklar, L. S., Scherer, A. M., Lee, G., and Davis, J. (2010). Accelerating and spatially-varying crustal uplift and its geomorphic expression, San Andreas Fault zone north of San Francisco, California. *Tectonophysics* **495**, 256-268.
- Guralnik, B., Matmon, A., Avni, Y., Porat, N., and Fink, D. (2011). Constraining the evolution of river terraces with integrated OSL and cosmogenic nuclide data. *Quaternary Geochronology* **6**, 22-32.
- Gutiérrez, F., Lucha, P., and Galve, J. P. (2010). Reconstructing the geochronological evolution of large landslides by means of the trenching technique in the Yesa Reservoir (Spanish Pyrenees). *Geomorphology* **124**, 124-136.
- Haslam, M., Roberts, R. G., Shipton, C., Pal, J. N., Fenwick, J. L., Ditchfield, P., Boivin, N., Dubey, A. K., Gupta, M. C., and Petraglia, M. (2011). Late Acheulean hominins at the Marine Isotope Stage 6/5e transition in north-central India. *Quaternary Research* **75**, 670-682.
- He, Z., Huang, C. C., Zheng, H. B., Zhou, J., Pang, J. L., Li, X. Y., and Wang, L. J. (2011). Holocene loess and its deposition dynamics in the upper reaches of the Huaihe River. *Journal of Geographical Sciences* **21**, 561-573.
- Hebenstreit, R., Ivy-Ochs, S., Kubik, P. W., Schlüchter, C., and Böse, M. (2011). Lateglacial and early Holocene surface exposure ages of glacial boulders in the Taiwanese high mountain range. *Quaternary Science Reviews* **30**,

298-311.

Huang, C. C., Pang, J., Zha, X., Su, H., and Jia, Y. (2011). Extraordinary floods related to the climatic event at 4200 a BP on the Qishuihe River, middle reaches of the Yellow River, China. *Quaternary Science Reviews* **30**, 460-468.

Huntley, D. J. (2011). Comment on "Isochron dating of sediments using luminescence of K-feldspar grains" by B. Li et al. *J. Geophys. Res.* **116**, F01012.

Huntley, D. J. (2011). Comment on "Isochron measurements of naturally irradiated K-feldspar grains" by B. Li, S.-H. Li, A.G. Wintle and H. Zhao. *Radiation Measurements* **46**, 166-167.

Jain, M., and Ankjærgaard, C. (2011). Towards a non-fading signal in feldspar: Insight into charge transport and tunnelling from time-resolved optically stimulated luminescence. *Radiation Measurements* **46**, 292-309.

Jiang, H., Mao, X., Xu, H., Thompson, J., Wang, P., and Ma, X. (2011). Last glacial pollen record from Lanzhou (Northwestern China) and possible forcing mechanisms for the MIS 3 climate change in Middle to East Asia. *Quaternary Science Reviews* **30**, 769-781.

Joannes-Boyau, R., and Grün, R. (2011). A comprehensive model for CO₂- radicals in fossil tooth enamel: Implications for ESR dating. *Quaternary Geochronology* **6**, 82-97.

Juyal, N., Sundriyal, Y., Rana, N., Chaudhary, S., and Singhvi, A. K. (2010). Late Quaternary fluvial aggradation and incision in the monsoon-dominated Alaknanda valley, Central Himalaya, Uttarakhand, India. *Journal of Quaternary Science* **25**, 1293-1304.

Kale, V., Achyuthan, H., Jaiswal, M., and Sengupta, S. (2010). Palaeoflood records from Upper Kaveri River, southern India: Evidence for discrete floods during Holocene. *Geochronometria* **37**, 49-55.

Karimi, A., Frechen, M., Khademi, H., Kehl, M., and Jalalian, A. (2011). Chronostratigraphy of loess deposits in northeast Iran. *Quaternary International* **234**, 124-132.

Khasswneh, S., al-Muheisen, Z., and Abd-Allah, R. (2011). Thermoluminescence dating of pottery objects from Tell Al-Husn, northern Jordan. *Mediterranean Archaeology & Archaeometry* **11**, 41-49.

Kim, M. J., Choi, J. H., and Hong, D. G. (2011). Optically stimulated luminescence and radiocarbon dating of samples from two Palaeolithic sites (Hahwagye-ri and Hwadae-ri) in the middle part of Korean Peninsula. *Geosciences Journal* **15**, 65-70.

King, G. E., Finch, A. A., Robinson, R. A. J., and Hole, D. E. (2011). The problem of dating quartz 1: Spectroscopic ionoluminescence of dose dependence. *Radiation Measurements* **46**, 1-9.

Kitis, G. (2011). A simple method to record thermoluminescence glow-curves between 77 and 300 K. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment* **637**, 88-94.

Kook, M. H., Murray, A. S., Lapp, T., Denby, P. H., Ankjærgaard, C., Thomsen, K., Jain, M., Choi, J. H., and Kim, G. H. (2011). A portable luminescence dating instrument. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **269**, 1370-1378.

Kundu, H., Thakkar, M., Biswas, R., and Singhvi, A. (2010). Optical dating of sediments in Khari River basin and slip rate along Katrol Hill Fault (KHF), Kachchh, India. *Geochronometria* **37**, 21-28.

Kunz, A., Frechen, M., Ramesh, R., and Urban, B. (2010). Revealing the coastal event-history of the Andaman Islands (Bay of Bengal) during the Holocene using radiocarbon and OSL dating. *International Journal of Earth Sciences* **99**, 1741-1761.

Lauer, T., Krbetschek, M., Frechen, M., Tsukamoto, S., Hoselmann, C., and Weidenfeller, M. (2011). Infrared radiofluorescence (IR-RF) dating of middle pleistocene fluvial archives of the Heidelberg Basin (Southwest Germany). *Geochronometria* **38**, 23-33.

Lauer, T., Frechen, M., Klostermann, J., Krbetschek, M., Schollmayer, G., and Tsukamoto, S. (2011). Luminescence dating of Last Glacial and Early Holocene fluvial deposits from the Lower Rhine methodological aspects and chronological framework. *Zeitschrift der Deutschen Gesellschaft für Geowissenschaften* **162**, 47-61.

Lee, M. K., Lee, Y. I., Lim, H. S., Lee, J. I., Choi, J. H., and Yoon, H. I. (2011). Comparison of radiocarbon and OSL dating methods for a Late Quaternary sediment core from Lake Ulaan, Mongolia. *Journal of Paleolimnology* **45**, 127-135.

Lepper, K., Crowell, K., and Wilson, C. (2011). Chronology of colluvial apron deposition within Cañada del Buey, Pajarito Plateau, New Mexico. *New Mexico Geology* **33**, 3-8.

Li, B., and Li, S.-H. (2011). Thermal stability of infrared stimulated luminescence of sedimentary K-feldspar. *Radiation Measurements* **46**, 29-36.

Li, B., Li, S. H., and Zhao, H. (2011). Reply to comment by Huntley on "isochron dating of sediments using luminescence of K-feldspar grains". *Journal of Geophysical Research F: Earth Surface* **116**.

Li, B., Li, S.-H., Duller, G. A. T., and Wintle, A. G. (2011). Infrared stimulated luminescence measurements of single grains of K-rich feldspar for isochron dating. *Quaternary Geochronology* **6**, 71-81.

Li, B., Li, S.-H., Wintle, A. G., and Zhao, H. (2011). Anomalous fading: A reply to the comment by Huntley on "Isochron measurements of naturally irradiated K-feldspar grains". *Radiation Measurements* **46**, 164-165.

Li, G.-Q., Zhao, H., and Chen, F.-H. (2011). Comparison of three K-feldspar luminescence dating methods for Holocene samples. *Geochronometria* **38**, 14-22.

Liritzis, I., Polymeris, G. S., and Zacharias, N. (2010). Surface luminescence dating of „Dragon Houses“ and Armena Gate at Styra (Euboea, Greece). *Mediterranean Archaeology & Archaeometry* **10**, 65-81.

Little, T. A., Van Dissen, R., Rieser, U., Smith, E. G. C., and Langridge, R. M. (2010). Coseismic strike slip at a point during the last four earthquakes on the Wellington fault near Wellington, New Zealand. *Journal of Geophysical Research B: Solid Earth* **115**, B05403.

Liu, J., Saito, Y., Kong, X., Wang, H., Wen, C., Yang, Z., and Nakashima, R. (2010). Delta development and channel incision during marine isotope stages 3 and 2 in the western South Yellow Sea. *Marine Geology* **278**, 54-76.

Liu, J. F., Chen, J., Yin, J. H., Lu, Y. C., Murray, A., Chen, L. C., Thompson, J., and Yang, H. L. (2010). OSL and AMS ¹⁴C dating of the penultimate earthquake at the leigu trench along the Beichuan fault, Longmen Shan, in the northeast margin of the Tibetan plateau. *Bulletin of the Seismological Society of America* **100**, 2681-2688.

Liu, X., Lai, Z., Madsen, D., Yu, L., Liu, K., and Zhang, J. (2011). Lake level variations of Qinghai Lake in northeastern Qinghai-Tibetan Plateau since 3.7 ka based on OSL dating. *Quaternary International* **236**, 57-64.

Lomax, J., Hilgers, A., and Radtke, U. (2011). Palaeoenvironmental change recorded in the palaeodunefields of the western Murray Basin, South Australia - New data from single grain OSL-dating. *Quaternary Science Reviews* **30**,

723-736.

Long, H., Lai, Z., Wang, N., and Zhang, J. (2011). A combined luminescence and radiocarbon dating study of Holocene lacustrine sediments from arid northern China. *Quaternary Geochronology* **6**, 1-9.

Lowick, S. E., and Preusser, F. (2011). Investigating age underestimation in the high dose region of optically stimulated luminescence using fine grain quartz. *Quaternary Geochronology* **6**, 33-41.

Lu, H., Sun, X., Wang, S., Cosgrove, R., Zhang, H., Yi, S., Ma, X., Wei, M., and Yang, Z. (2011). Ages for hominin occupation in Lushi Basin, middle of South Luo River, central China. *Journal of Human Evolution* **60**, 612-617.

Lu, H., Zhao, C., Mason, J., Yi, S., Zhao, H., Zhou, Y., Ji, J., Swinehart, J., and Wang, C. (2011). Holocene climatic changes revealed by aeolian deposits from the Qinghai Lake area (northeastern Qinghai-Tibetan Plateau) and possible forcing mechanisms. *The Holocene* **21**, 297-304.

Madritsch, H., Preusser, F., Fabbri, O., Bichet, V., Schlunegger, F., and Schmid, S. M. (2010). Late Quaternary folding in the Jura Mountains: evidence from syn-erosional deformation of fluvial meanders. *Terra Nova* **22**, 147-154.

Madsen, A. T., Murray, A. S., Andersen, T. J., and Pejrup, M. (2010). Luminescence dating of Holocene sedimentary deposits on Rømø, a barrier island in the Wadden Sea, Denmark. *The Holocene* **20**, 1247-1256.

Madsen, A. T., Murray, A. S., Jain, M., Andersen, T. J., and Pejrup, M. (2011). A new method for measuring bioturbation rates in sandy tidal flat sediments based on luminescence dating. *Estuarine, Coastal and Shelf Science* **92**, 464-471.

Mauz, B., Baeteman, C., Bungenstock, F., and Plater, A. J. (2010). Optical dating of tidal sediments: Potentials and limits inferred from the North Sea coast. *Quaternary Geochronology* **5**, 667-678.

Mikulcic Pavlakovic, S., Crnjakovic, M., Tibljias, D., Soufek, M., Wacha, L., Frechen, M., and Lackovic, D. (2011). Mineralogical and geochemical characteristics of Quaternary sediments from the Island of Susak (Northern Adriatic, Croatia). *Quaternary International* **234**, 32-49.

Morin, E., Macaire, J.-J., Hinschberger, F., Gay-Ovéjéro, I., Rodrigues, S., Bakyono, J.-P., and Visset, L. (2011). Spatio-temporal evolution of the Choisille River (southern Parisian Basin, France) during the Weichselian and the Holocene as a record of climate trend and human activity in north-western Europe. *Quaternary Science Reviews* **30**, 347-363.

Moska, P., Adamiec, G., and Jary, Z. (2011). OSL dating and lithological characteristics of loess deposits from Biały Kościół. *Geochronometria* **38**, 162-171.

Moura-Lima, E. N., Bezerra, F. H. R., Lima-Filho, F. P., de Castro, D. L., Sousa, M. O. L., Fonseca, V. P., and Aquino, M. R. (2011). 3-D geometry and luminescence chronology of Quaternary soft-sediment deformation structures in gravels, northeastern Brazil. *Sedimentary Geology* **235**, 160-171.

Muñoz-Salinas, E., Bishop, P., Sanderson, D. C. W., and Zamorano, J.-J. (2011). Interpreting luminescence data from a portable OSL reader: three case studies in fluvial settings. *Earth Surface Processes and Landforms* **36**, 651-660.

Munyikwa, K., Feathers, J. K., Rittenour, T. M., and Shrimpton, H. K. (2011). Constraining the Late Wisconsinan retreat of the Laurentide ice sheet from western Canada using luminescence ages from postglacial aeolian dunes. *Quaternary Geochronology* **6**, 407-422.

- Nádor, A., Sinha, R., Magyari, Á., Tandon, S. K., Medzihradsky, Z., Babinszki, E., Thamó-Bozsó, E., Unger, Z., and Singh, A. (2011). Late Quaternary (Weichselian) alluvial history and neotectonic control on fluvial landscape development in the southern Körös plain, Hungary. *Palaeogeography, Palaeoclimatology, Palaeoecology* **299**, 1-14.
- Nelson, N. A., and Pierce, J. (2010). Late-Holocene relationships among fire, climate and vegetation in a forest-sagebrush ecotone of southwestern Idaho, USA. *The Holocene* **20**, 1179-1194.
- Notebaert, B., Verstraeten, G., Vandenberghe, D., Marinova, E., Poesen, J., and Govers, G. (2011). Changing hillslope and fluvial Holocene sediment dynamics in a Belgian loess catchment. *Journal of Quaternary Science* **26**, 44-58.
- Novothny, Á., Frechen, M., Horváth, E., Wacha, L., and Rolf, C. (2011). Investigating the penultimate and last glacial cycles of the Sütto loess section (Hungary) using luminescence dating, high-resolution grain size, and magnetic susceptibility data. *Quaternary International* **234**, 75-85.
- Okumura, T., Toyoda, S., Sato, F., Uchida, A., Ishibashi, J.-I., and Nakai, S. i. (2010). ESR dating of marine barite in chimneys deposited from hydrothermal vents. *Geochronometria* **37**, 57-61.
- Owen, L. A., Frankel, K. L., Knott, J. R., Reynhout, S., Finkel, R. C., Dolan, J. F., and Lee, J. (2011). Beryllium-10 terrestrial cosmogenic nuclide surface exposure dating of Quaternary landforms in Death Valley. *Geomorphology* **125**, 541-557.
- Pagonis, V., Adamiec, G., Athanassas, C., Chen, R., Baker, A., Larsen, M., and Thompson, Z. (2011). Simulations of thermally transferred OSL signals in quartz: Accuracy and precision of the protocols for equivalent dose evaluation. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **269**, 1431-1443.
- Pagonis, V., Baker, A., Larsen, M., and Thompson, Z. (2011). Precision and accuracy of two luminescence dating techniques for retrospective dosimetry: SAR-OSL and SAR-ITL. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **269**, 653-663.
- Pagonis, V., Chen, R., and Kitis, G. (2011). On the intrinsic accuracy and precision of luminescence dating techniques for fired ceramics. *Journal of Archaeological Science* **38**, 1591-1602.
- Pánek, T., Táborík, P., Klimes, J., Komárková, V., Hradecký, J., and Stastný, M. (2011). Deep-seated gravitational slope deformations in the highest parts of the Czech Flysch Carpathians: Evolutionary model based on kinematic analysis, electrical imaging and trenching. *Geomorphology* **129**, 92-112.
- Pati, P., Parkash, B., Awasthi, A. K., and Acharya, V. (2011). Holocene tectono-geomorphic evolution of parts of the Upper and Middle Gangetic plains, India. *Geomorphology* **128**, 148-170.
- Pedersen, J. B. T., Jakobsen, B. H., and Kroon, A. (2010). Optically Stimulated Luminescence dating of Inuit settlement structures in coastal landscapes of Northeast Greenland. *Geografisk Tidsskrift* **110**, 365-371.
- Pierce, J. L., Meyer, G. A., and Rittenour, T. (2011). The relation of Holocene fluvial terraces to changes in climate and sediment supply, South Fork Payette River, Idaho. *Quaternary Science Reviews* **30**, 628-645.
- Preusser, F., Schmitt, L., Delile, H., and Grosprêtre, L. (2011). Optically stimulated luminescence (OSL) dating of the sedimentation history of the Yzeron Basin (Chaudanne sub-catchment), Rhône valley, France. *Quaternaire* **22**, 73-83.
- Price, G. J., Webb, G. E., Zhao, J.-X., Feng, Y.-X., Murray, A. S., Cooke, B. N., Hocknull, S. A., and Sobbe, I. H. (2011). Dating megafaunal extinction on the Pleistocene Darling Downs, eastern Australia: the promise and pitfalls

of dating as a test of extinction hypotheses. *Quaternary Science Reviews* **30**, 899-914.

Prideaux, G. J., Gully, G. A., Couzens, A. M. C., Ayliffe, L. K., Jankowski, N. R., Jacobs, Z., Roberts, R. G., Hellstrom, J. C., Gagan, M. K., and Hatcher, L. M. (2010). Timing and dynamics of Late Pleistocene mammal extinctions in southwestern Australia. *Proceedings of the National Academy of Sciences* **107**, 22157-22162.

Quang-Minh, D., Frechen, M., Nghi, T., and Harff, J. (2010). Timing of Holocene sand accumulation along the coast of central and SE Vietnam. *International Journal of Earth Sciences* **99**, 1731-1740.

Raukas, A., Stankowski, W., Zelčs, V., and Šinkunas, P. (2010). Chronology of the Last Deglaciation in the southeastern Baltic region on the basis of recent OSL dates. *Geochronometria* **36**, 47-54.

Reimann, T., Tsukamoto, S., Naumann, M., and Frechen, M. (2011). The potential of using K-rich feldspars for optical dating of young coastal sediments - A test case from Darss-Zingst peninsula (southern Baltic Sea coast). *Quaternary Geochronology* **6**, 207-222.

Ren, J., Chen, G., Xu, X., Zhang, S., and Mao, C. (2010). Surface rupture of the 2008 Wenchuan, China, earthquake in the qingping stepover determined from geomorphologic surveying and excavation, and its tectonic implications. *Bulletin of the Seismological Society of America* **100**, 2651-2659.

Rich, J., and Stokes, S. (2011). A 200,000-year record of late Quaternary aeolian sedimentation on the Southern High Plains and nearby Pecos River Valley, USA. *Aeolian Research* **2**, 221-240.

Rizza, M., Mahan, S., Ritz, J. F., Nazari, H., Hollingsworth, J., and Salamati, R. (2011). Using luminescence dating of coarse matrix material to estimate the slip rate of the Astaneh fault, Iran. *Quaternary Geochronology* **6**, 390-406.

Rossetti, D. F., Bezerra, F. H. R., Goes, A. M., Valeriano, M. M., Andrades-Filho, C. O., Mittani, J. C. R., Tatumi, S. H., and Brito-Neves, B. B. (2011). Late Quaternary sedimentation in the Paraíba Basin, Northeastern Brazil: Landform, sea level and tectonics in Eastern South America passive margin. *Palaeogeography Palaeoclimatology Palaeoecology* **300**, 191-204.

Saini, H., and Mujtaba, S. (2010). Luminescence dating of the sediments from a buried channel loop in Fatehabad area, Haryana: Insight into Vedic Saraswati River and its environment. *Geochronometria* **37**, 29-35.

Sallun, A. E. M., and Suguio, K. (2010). Quaternary colluvial episodes (Upper Paraná River Hydrographic Basin, Brazil). *Anais da Academia Brasileira de Ciencias* **82**, 701-715.

Santana, S. T., Khoury, H. J., Sullasi, H. L., and Guzzo, P. L. (2010). Luminescence properties of feldspars from the Northeast region of Brazil. *Journal of Physics: Conference Series* **249**.

Sawakuchi, A. O., Blair, M. W., DeWitt, R., Faleiros, F. M., Hyppolito, T., and Guedes, C. C. F. (2011). Thermal history versus sedimentary history: OSL sensitivity of quartz grains extracted from rocks and sediments. *Quaternary Geochronology* **6**, 261-272.

Schirrmeister, L., Grosse, G., Schnelle, M., Fuchs, M., Krbetschek, M., Ulrich, M., Kunitsky, V., Grigoriev, M., Andreev, A., Kienast, F., Meyer, H., Babiy, O., Klimova, I., Bobrov, A., Wetterich, S., and Schwamborn, G. (2011). Late Quaternary paleoenvironmental records from the western Lena Delta, Arctic Siberia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **299**, 175-196.

Schmidt, A., Quigley, M., Fattahi, M., Azizi, G., Maghsoudi, M., and Fazeli, H. (2011). Holocene settlement shifts and palaeoenvironments on the Central Iranian Plateau: Investigating linked systems. *The Holocene* **21**, 583-595.

Schmidt, E. D., Frechen, M., Murray, A. S., Tsukamoto, S., and Bittmann, F. (2011). Luminescence chronology of

the loess record from the Tönchesberg section: A comparison of using quartz and feldspar as dosimeter to extend the age range beyond the Eemian. *Quaternary International* **234**, 10-22.

Schütt, B., Frechen, M., Hoelzmann, P., and Fritzenwenger, G. (2011). Late Quaternary landscape evolution in a small catchment on the Chinese Loess Plateau. *Quaternary International* **234**, 159-166.

Seong, Y. B., Kang, H.-C., Ree, J.-H., Choi, J.-H., Lai, Z., Long, H., and Yoon, H. O. (2011). Geomorphic constraints on active mountain growth by the lateral propagation of fault-related folding: A case study on Yumu Shan, NE Tibet. *Journal of Asian Earth Sciences* **41**, 184-194.

Shaanan, U., Porat, N., Navon, O., Weinberger, R., Calvert, A., and Weinstein, Y. (2011). OSL dating of a Pleistocene maar: Birket Ram, the Golan heights. *Journal of Volcanology and Geothermal Research* **201**, 397-403.

Sier, M. J., Roebroeks, W., Bakels, C. C., Dekkers, M. J., Brühl, E., De Loecker, D., Gaudzinski-Windheuser, S., Hesse, N., Jagich, A., Kindler, L., Kuijper, W. J., Laurat, T., Mùcher, H. J., Penkman, K. E. H., Richter, D., and van Hinsbergen, D. J. J. (2011). Direct terrestrial-marine correlation demonstrates surprisingly late onset of the last interglacial in central Europe. *Quaternary Research* **75**, 213-218.

Simms, A. R., DeWitt, R., Kouremenos, P., and Drewry, A. M. (2011). A new approach to reconstructing sea levels in Antarctica using optically stimulated luminescence of cobble surfaces. *Quaternary Geochronology* **6**, 50-60.

Singh, L. L., and Gartia, R. K. (2011). A new method of determination of trapping parameters of glow peaks relevant to dosimetry and dating from their lifetime. *Radiation Effects and Defects in Solids* **166**, 297-304.

Singhvi, A. K., Williams, M. A. J., Rajaguru, S. N., Misra, V. N., Chawla, S., Stokes, S., Chauhan, N., Francis, T., Ganjoo, R. K., and Humphreys, G. S. (2010). A ~200 ka record of climatic change and dune activity in the Thar Desert, India. *Quaternary Science Reviews* **29**, 3095-3105.

Slimak, L., Svendsen, J. I., Mangerud, J., Plisson, H., Heggen, H. P., Brugère, A., and Pavlov, P. Y. (2011). Late Mousterian Persistence near the Arctic Circle. *Science* **332**, 841-845.

Soares, E. A. A., Tatumi, S. H., and Riccomini, C. (2010). OSL age determinations of Pleistocene fluvial deposits in Central Amazonia. *Anais da Academia Brasileira de Ciencias* **82**, 691-699.

Stankowski, W. (2011). Luminescence and radiocarbon dating as tools for the recognition of extraterrestrial impacts. *Geochronometria* **38**, 50-54.

Steffen, D., Schlunegger, F., and Preusser, F. (2010). Late Pleistocene fans and terraces in the Majes valley, southern Peru, and their relation to climatic variations. *International Journal of Earth Sciences* **99**, 1975-1989.

Stevens, T., Markovic, S. B., Zech, M., Hambach, U., and Sümegi, P. (2011). Dust deposition and climate in the Carpathian Basin over an independently dated last glacial-interglacial cycle. *Quaternary Science Reviews* **30**, 662-681.

Strahl, J., Krbetschek, M. R., Luckert, J., Machalet, B., Meng, S., Oches, E. A., Ivo Rappsilber, Wansa, S., and Zöller, L. (2011). Geologie, Paläontologie und Geochronologie des Eem-Beckens Neumark-Nord 2 und Vergleich mit dem Becken Neumark-Nord 1 (Geiseltal, Sachsen-Anhalt). *E&G Quaternary Science Journal* **59**, 120-167.

Subedi, B., Oniya, E., Polymeris, G. S., Afouxenidis, D., Tsirliganis, N. C., and Kitis, G. (2011). Thermal quenching of thermoluminescence in quartz samples of various origin. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **269**, 572-581.

Svendsen, J. I., Heggen, H. P., Hufthammer, A. K., Mangerud, J., Pavlov, P., and Roebroeks, W. (2010). Geo-

archaeological investigations of Palaeolithic sites along the Ural Mountains - On the northern presence of humans during the last Ice Age. *Quaternary Science Reviews* **29**, 3138-3156.

Tan, Z., Huang, C. C., Pang, J., and Zhou, Q. (2011). Holocene wildfires related to climate and land-use change over the Weihe River Basin, China. *Quaternary International* **234**, 167-173.

Tatumi, S. H., Bitencourt, J. F. S., de Silva, D. M., Lyra, J. S., Kinoshita, A., and Sullasi, H. S. L. (2010). Study of the effects of heat treatments in the paramagnetic centers of alkaline feldspars and their implications in the luminescence properties. *Journal of Physics: Conference Series* **249**, 012026.

Thiel, C., Buylaert, J.-P., Murray, A., Terhorst, B., Hofer, I., Tsukamoto, S., and Frechen, M. (2011). Luminescence dating of the Stratzing loess profile (Austria) - Testing the potential of an elevated temperature post-IR IRSL protocol. *Quaternary International* **234**, 23-31.

Thomsen, K., Murray, A., and Jain, M. (2011). Stability of IRSL signals from sedimentary K-feldspar samples. *Geochronometria* **38**, 1-13.

Timmons, E. A., Rodriguez, A. B., Mattheus, C. R., and DeWitt, R. (2010). Transition of a regressive to a transgressive barrier island due to back-barrier erosion, increased storminess, and low sediment supply: Bogue Banks, North Carolina, USA. *Marine Geology* **278**, 100-114.

Tokuyasu, K., Tanaka, K., Tsukamoto, S., and Murray, A. (2010). The characteristics of OSL signal from quartz grains extracted from modern sediments in Japan. *Geochronometria* **37**, 13-19.

Tolksdorf, J. F., Kaiser, K., Terberger, T., Klasen, N., Schneider, B., and Masberg, P. (2011). Aeolian sedimentation in the Rhine and Main area from the Late Glacial until the Mid-Holocene. *E&G Quaternary Science Journal* **59**, 36-43.

Tsukamoto, S., Duller, G. A. T., Wintle, A. G., and Muhs, D. (2011). Assessing the potential for luminescence dating of basalts. *Quaternary Geochronology* **6**, 61-70.

Tsukamoto, S., Nagashima, K., Murray, A. S., and Tada, R. (2011). Variations in OSL components from quartz from Japan sea sediments and the possibility of reconstructing provenance. *Quaternary International* **234**, 182-189.

Van Mourik, J. M., Slotboom, R. T., and Wallinga, J. (2011). Chronology of plagic deposits; palynology, radiocarbon and optically stimulated luminescence dating of the Posteles (NE-Netherlands). *Catena* **84**, 54-60.

Vasiliniuc, Ș., Timar-Gabor, A., Vandenberghe, D. A. G., Panaiotu, C. G., Begy, R., and Cosma, C. (2011). A high resolution optical dating study of the Mostiștea loess-palaeosol sequence (SE Romania) using sand-sized quartz. *Geochronometria* **38**, 34-41-41.

Vincent, P. J., Lord, T. C., Telfer, M. W., and Wilson, P. (2011). Early Holocene loessic colluviation in northwest England: new evidence for the 8.2 ka event in the terrestrial record? *Boreas* **40**, 105-115.

Vogelsang, R., Richter, J., Jacobs, Z., Eichhorn, B., Linseele, V., and Roberts, R. G. (2010). New Excavations of Middle Stone Age Deposits at Apollo 11 Rockshelter, Namibia: Stratigraphy, Archaeology, Chronology and Past Environments. *Journal of African Archaeology* **8**.

Wacha, L., Mikulcic Pavlakovic, S., Novothny, Á., Crnjakovic, M., and Frechen, M. (2011). Luminescence dating of Upper Pleistocene loess from the Island of Susak in Croatia. *Quaternary International* **234**, 50-61.

Walker, R. T., Claisse, S., Telfer, M., Nissen, E., England, P., Bryant, C., and Bailey, R. (2010). Preliminary estimate of Holocene slip rate on active normal faults bounding the southern coast of the Gulf of Evia, central

Greece. *Geosphere* **6**, 583-593.

Wang, P., Zhang, B., Qiu, W., and Wang, J. (2011). Soft-sediment deformation structures from the Diexi paleo-dammed lakes in the upper reaches of the Minjiang River, east Tibet. *Journal of Asian Earth Sciences* **40**, 865-872.

Waters, M. R., Forman, S. L., Jennings, T. A., Nordt, L. C., Driese, S. G., Feinberg, J. M., Keene, J. L., Halligan, J., Lindquist, A., Pierson, J., Hallmark, C. T., Collins, M. B., and Wiederhold, J. E. (2011). The Buttermilk Creek Complex and the Origins of Clovis at the Debra L. Friedkin Site, Texas. *Science* **331**, 1599-1603.

Weiguo Liu, Zhonghui Liu, Zhisheng An, Xulong Wang, and Hong Chang. (2011). Wet climate during the „Little Ice Age“ in the arid Tarim Basin, northwestern China. *The Holocene* **21**, 409-416.

Wenban-Smith, F. F., Bates, M. R., and Schwenninger, J.-L. (2010). Early Devensian (MIS 5d–5b) occupation at Dartford, southeast England. *Journal of Quaternary Science* **25**, 1193-1199.

Wenske, D., Böse, M., Frechen, M., and Lüthgens, C. (2011). Late Holocene mobilisation of loess-like sediments in Hohuan Shan, high mountains of Taiwan. *Quaternary International* **234**, 174-181.

Wintle, A. (2010). Future Directions of Luminescence Dating of Quartz. *Geochronometria* **37**, 1-7.

Woda, C., Ulanovsky, A., Bougrov, N. G., Fiedler, I., Degteva, M. O., and Jacob, P. (2011). Potential and limitations of the 210 °C TL peak in quartz for retrospective dosimetry. *Radiation Measurements* **46**, 485-493.

Wohlfarth, B., Alexanderson, H., Ampel, L., Bennike, O. L. E., Engels, S., Johnsen, T., Lundqvist, J. A. N., and Reimer, P. (2011). Pilgrimstad revisited – a multi-proxy reconstruction of Early/Middle Weichselian climate and environment at a key site in central Sweden. *Boreas* **40**, 211-230.

Wolfe, S., Bond, J., and Lamothe, M. (2011). Dune stabilization in central and southern Yukon in relation to early Holocene environmental change, northwestern North America. *Quaternary Science Reviews* **30**, 324-334.

Yamamoto, Y., Toyoda, S., Nagasima, K., Igarashi, Y., and Tada, R. (2010). The Grain Size Influence on the E1' Centre Observed in Quartz of Atmospheric Deposition at Two Japanese Cities: A Preliminary Study. *Geochronometria* **37**, 9-12.

Yang, G., Zhang, X., Tian, M., Brierley, G., Chen, A., Ping, Y., Ge, Z., Ni, Z., and Yang, Z. (2011). Alluvial terrace systems in Zhangjiajie of northwest Hunan, China: Implications for climatic change, tectonic uplift and geomorphic evolution. *Quaternary International* **233**, 27-39.

Yin, G., Bahain, J.-J., Shen, G., Tissoux, H., Falguères, C., Dolo, J.-M., Han, F., and Shao, Q. (2011). ESR/U-series study of teeth recovered from the palaeoanthropological stratum of the Dali Man site (Shaanxi Province, China). *Quaternary Geochronology* **6**, 98-105.

Zhang, J.-F., Wang, X.-Q., Qiu, W.-L., Shelach, G., Hu, G., Fu, X., Zhuang, M.-G., and Zhou, L.-P. (2011). The paleolithic site of Longwangchan in the middle Yellow River, China: chronology, paleoenvironment and implications. *Journal of Archaeological Science* **38**, 1537-1550.

Zieliński, P., Sokołowski, R., Fedorowicz, S., and Jankowski, M. (2011). Stratigraphic position of fluvial and aeolian deposits in the Żabinko site (W Poland) based on TL dating. *Geochronometria* **38**, 64-71.

Zöller, L., Hambach, U., Blanchard, H., Fischer, S., Köhne, S., and Stritzke, R. (2011). Der Rodderberg-Krater bei Bonn. *E&G Quaternary Science Journal* **59**, 44–58.

