
Ancient TL

www.ancienttl.org · ISSN: 2693-0935

Ancient TL, 2011. *Bibliography*. Ancient TL 29(2): 79-88. <https://doi.org/10.26034/la.atl.2011.454>

This article is published under a *Creative Commons Attribution 4.0 International* (CC BY):
<https://creativecommons.org/licenses/by/4.0>



© Ancient TL, 2011

Bibliography

Compiled by Daniel Richter

From 1st May 2011 to 31st October 2011

Akselrod, M. S. (2011). Fundamentals of Materials, Techniques, and Instrumentation for OSL and FNTD Dosimetry. *AIP Conference Proceedings* **1345**, 274-302.

Alappat, L., Frechen, M., Ramesh, R., Tsukamoto, S., and Srinivasalu, S. (2011). Evolution of late Holocene coastal dunes in the Cauvery delta region of Tamil Nadu, India. *Journal of Asian Earth Sciences* **42**, 381-397.

Arnold, L. J., and Roberts, R. G. (2011). Paper I – Optically stimulated luminescence (OSL) dating of perennially frozen deposits in north-central Siberia: OSL characteristics of quartz grains and methodological considerations regarding their suitability for dating. *Boreas* **40**, 389-416.

Arnold, L. J., Roberts, R. G., Macphee, R. D. E., Haile, J. S., Brock, F., Möller, P. E. R., Froese, D. G., Tikhonov, A. N., Chivas, A. R., Gilbert, M. T. P., and Willerslev, E. (2011). Paper II – Dirt, dates and DNA: OSL and radiocarbon chronologies of perennially frozen sediments in Siberia, and their implications for sedimentary ancient DNA studies. *Boreas* **40**, 417-445.

Athanassas, C. (2011). Constraints on the precision of SAR in equivalent dose estimations close to saturation in quartz. *Geochronometria* **38**, 413-423.

Atkinson, O. A. C., Thomas, D. S. G., Goudie, A. S., and Bailey, R. M. (2011). Late Quaternary chronology of major dune ridge development in the northeast Rub' al-Khali, United Arab Emirates. *Quaternary Research* **76**, 93-105.

Bailey, R. M., Yukihiro, E. G., and McKeever, S. W. S. (2011). Separation of quartz optically stimulated luminescence components using green (525 nm) stimulation. *Radiation Measurements* **46**, 643-648.

Bakraji, E., Ahmad, M., Salman, N., Haloum, D., Boutros, N., and Abboud, R. (2011). Dating and classification of Syrian excavated pottery from Tell Saka Site, by means of thermoluminescence analysis, and multivariate statistical methods, based on PIXE analysis. *Journal of Radioanalytical and Nuclear Chemistry* **289**, 423-429.

Bakraji, E. H. (2011). Study of Syrian archaeological pottery by the combined application of thermoluminescence (TL) dating, X-ray fluorescence analysis and statistical multivariate analysis. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **269**, 2052-2056.

Basarin, B., Vandenberghe, D. A. G., Markovic, S. B., Catto, N., Hambach, U., Vasiliniuc, S., Derese, C., Roncevic, S., Vasiljevic, D. A., and Rajic, L. (2011). The Belotinac section (Southern Serbia) at the southern limit of the European loess belt: Initial results. *Quaternary International* **240**, 128-138.

Bateman, M. D., Buckland, P. C., Whyte, M. A., Ashurst, R. A., Boulter, C., and Panagiotakopulu, E. V. A. (2011). Re-evaluation of the Last Glacial Maximum typesite at Dimlington, UK. *Boreas* **40**, 573-584.

Bennett, J. A., Brown, A. G., Schwenninger, J. L., and Rhodes, E. J. (2011). Holocene channel changes and geoarchaeology of the Exe River, Devon, UK, and the floodplain paradox. *Special Paper of the Geological Society of America* **476**, 135-152.

Berger, G. W. (2011). Surmounting luminescence age overestimation in Alaska-margin Arctic Ocean sediments by use of 'micro-hole' quartz dating. *Quaternary Science Reviews* **30**, 1750-1769.

- Berger, G. W. (2011). A practical correction for sensitivity change in thermoluminescence multi-aliquot-regeneration dating of feldspar dominated fine grain loess. *Radiation Measurements* **46**, 1043-1054.
- Bertucci, M., Veronese, I., and Cantone, M. C. (2011). Photo-transferred thermoluminescence from deep traps in quartz. *Radiation Measurements* **46**, 588-590.
- Bogemans, F., and Vandenberghe, D. (2011). OSL dating of an inland dune along the lower River Scheldt near Aard (East Flanders, Belgium). *Geologie en Mijnbouw/Netherlands Journal of Geosciences* **90**, 23-29.
- Busch, M. M., Arrowsmith, J. R., Umhoefer, P. J., Cayan, J. A., Maloney, S. J., and Gutierrez, G. M. (2011). Geometry and evolution of rift-margin, normal-fault-bounded basins from gravity and geology, La Paz-Los Cabos region, Baja California Sur, Mexico. *Lithosphere* **3**, 110-127.
- Buylaert, J.-P., Thiel, C., Murray, A., Vandenberghe, D., Yi, S., and Lu, H. (2011). IRSL and post-IR IRSL residual doses recorded in modern dust samples from the Chinese Loess Plateau. *Geochronometria* **38**, 432-440.
- Croke, J., Jansen, J. D., Amos, K., and Pietsch, T. J. (2011). A 100 ka record of fluvial activity in the Fitzroy River Basin, tropical northeastern Australia. *Quaternary Science Reviews* **30**, 1681-1695.
- Cunningham, A., Wallinga, J., and Minderhoud, P. (2011). Expectations of scatter in equivalent-dose distributions when using multi-grain aliquots for OSL dating. *Geochronometria* **38**, 424-431.
- Cunningham, A. C., Bakker, M. A. J., van Heteren, S., van der Valk, B., van der Spek, A. J. F., Schaart, D. R., and Wallinga, J. (2011). Extracting storm-surge data from coastal dunes for improved assessment of flood risk. *Geology* **39**, 1063-1066.
- Dereese, C., Vandenberghe, D. A. G., Zwertvaegher, A., Court-Picon, M., Crombé, P., Verniers, J., and Van Den Haute, P. (2010). The timing of aeolian events near archaeological settlements around Heidebos (Moervaart area, N Belgium). *Geologie en Mijnbouw/Netherlands Journal of Geosciences* **89**, 173-186.
- Durcan, J. A., and Duller, G. A. T. (2011). The fast ratio: A rapid measure for testing the dominance of the fast component in the initial OSL signal from quartz. *Radiation Measurements* **46**, 1065-1072.
- Fruchter, N., Matmon, A., Avni, Y., and Fink, D. (2011). Revealing sediment sources, mixing, and transport during erosional crater evolution in the hyperarid Negev Desert, Israel. *Geomorphology* **134**, 363-377.
- Fuchs, M., Will, M., Kunert, E., Kreutzer, S., Fischer, M., and Reverman, R. (2011). The temporal and spatial quantification of Holocene sediment dynamics in a meso-scale catchment in northern Bavaria, Germany. *The Holocene* **21**, 1093-1104.
- Fujita, H., Jain, M., and Murray, A. S. (2011). Retrospective dosimetry using Japanese brick quartz: A way forward despite an unstable fast decaying OSL signal. *Radiation Measurements* **46**, 565-572.
- Gartia, R. K., and Singh, L. L. (2011). Evaluation of trapping parameter of quartz by deconvolution of the glow curves. *Radiation Measurements* **46**, 664-668.
- Guedes, C. C. F., Giannini, P. C. F., Sawakuchi, A. O., DeWitt, R., Nascimento Jr, D. R., Aguiar, V. A. P., and Rossi, M. G. (2011). Determination of controls on Holocene barrier progradation through application of OSL dating: The Ilha Comprida Barrier example, Southeastern Brazil. *Marine Geology* **285**, 1-16.
- Henshilwood, C. S., d'Errico, F., van Niekerk, K. L., Coquinot, Y., Jacobs, Z., Lauritzen, S.-E., Menu, M., and García-Moreno, R. (2011). A 100,000-Year-Old Ochre-Processing Workshop at Blombos Cave, South Africa. *Science* **334**, 219-222.

- Jacobs, Z., Meyer, M. C., Roberts, R. G., Aldeias, V., Dibble, H., and El Hajraoui, M. A. (2011). Single-grain OSL dating at La Grotte des Contrebandiers ('Smugglers' Cave'), Morocco: improved age constraints for the Middle Paleolithic levels. *Journal of Archaeological Science* **38**, 3631-3643.
- Jacobs, Z., Roberts, R. G., Lachlan, T. J., Karkanas, P., Marean, C. W., and Roberts, D. L. (2011). Development of the SAR TT-OSL procedure for dating Middle Pleistocene dune and shallow marine deposits along the southern Cape coast of South Africa. *Quaternary Geochronology* **6**, 491-513.
- Jia, Y., Huang, C., and Mao, L. (2011). OSL dating of a Holocene loess-paleosol sequence in the southern Loess Plateau, China. *Environmental Earth Sciences* **64**, 1071-1079.
- Junior, A. P. M., Cherem, L. F. S., Barros, L. F. d. P., and Santos, G. B. d. (2011). OSL dating of sediments from a mountainous river in southeastern Brazil: Late Cenozoic tectonic and climatic implications. *Geomorphology* **132**, 187-194.
- Kang, S., Lu, Y., and Wang, X. (2011). Closely-spaced recuperated OSL dating of the last interglacial paleosol in the southeastern margin of the Chinese Loess Plateau. *Quaternary Geochronology* **6**, 480-490.
- King, G. E., Finch, A. A., Robinson, R. A. J., Taylor, R. P., and Mosselmans, J. F. W. (2011). The problem of dating quartz 2: Synchrotron generated X-ray excited optical luminescence (XEOL) from quartz. *Radiation Measurements* **46**, 1082-1089.
- Kinoshita, A., Jose, F. A., Sundaram, D., Paixão, J. d. S., Soares, I. R. M., Figueiredo, A. M., and Baffa, O. (2011). Electron spin resonance dating of teeth from Western Brazilian megafauna – preliminary results. *Radiation Measurements* **46**, 842-846.
- Klasen, N., Engel, M., Brückner, H., Hausleiter, A., Intilia, A., Eichmann, R., al-Najem, M. H., and al-Said, S. F. (2011). Optically stimulated luminescence dating of the city wall system of ancient Tayma (NW Saudi Arabia). *Journal of Archaeological Science* **38**, 1818-1826.
- Kunz, A., Frechen, M., Ramesh, R., and Urban, B. (2010). Periods of recent dune sand mobilisation in Cuddalore, Southeast India. Phasen rezenter Dünenaktivität in Cuddalore, Südost-Indien. *Zeitschrift der Deutschen Gesellschaft für Geowissenschaften* **161**, 353-368.
- Kusiak, J., Rychter, M., and Stasiak-Cyran, M. (2011). Attempts at thermoluminescence dating of fired materials from the Przeworsk Culture settlements. *Geochronometria* **38**, 359-368.
- Łanczont, M., Bogucki, A., Fedorowicz, S., and Kusiak, J. (2011). Mesopleistocene loess deposits in the Mamalyha 2 profile of Ukraine — interlaboratory comparison of the thermoluminescence dating results. *Geochronometria* **38**, 350-358.
- Larsen, N. K., Kjær, K. H., Olsen, J., Funder, S., Kjeldsen, K. K., and Nørgaard-Pedersen, N. (2011). Restricted impact of Holocene climate variations on the southern Greenland Ice Sheet. *Quaternary Science Reviews* **30**, 3171-3180.
- Laskaris, N., and Liritzis, I. (2011). A new mathematical approximation of sunlight attenuation in rocks for surface luminescence dating. *Journal of Luminescence* **131**, 1874-1884.
- Lauer, T., Bonn, R., Frechen, M., Fuchs, M., Trier, M., and Tsukamoto, S. (2011). Geoarchaeological studies on Roman time harbour sediments in Cologne — comparison of different OSL dating techniques. *Geochronometria* **38**, 341-349.

Le Dortz, K., Meyer, B., Sébrier, M., Braucher, R., Nazari, H., Benedetti, L., Fattahi, M., Bourlès, D., Foroutan, M., Siame, L., Rashidi, A., and Bateman, M. D. (2011). Dating inset terraces and offset fans along the Dehshir Fault (Iran) combining cosmogenic and OSL methods. *Geophysical Journal International* **185**, 1147-1174.

Lehmkuhl, F., Hilgers, A., Fries, S., Hülle, D., Schlütz, F., Shumilovskikh, L., Felauer, T., and Protze, J. (2011). Holocene geomorphological processes and soil development as indicator for environmental change around Karakorum, Upper Orkhon Valley (Central Mongolia). *Catena* **87**, 31-44.

Leopold, M., Völkel, J., Dethier, D., Huber, J., and Steffens, M. (2011). Characteristics of a paleosol and its implication for the Critical Zone development, Rocky Mountain Front Range of Colorado, USA. *Applied Geochemistry* **26**, S72-S75.

Li, B., and Li, S.-H. (2011). Luminescence dating of K-feldspar from sediments: A protocol without anomalous fading correction. *Quaternary Geochronology* **6**, 468-479.

Li, C., Zheng, W., and Wang, W. (2011). Trenching exposures of the surface rupture of 2008 Mw 7.9 Wenchuan earthquake, China: Implications for coseismic deformation and paleoseismology along the Central Longmen Shan thrust fault. *Journal of Asian Earth Sciences* **40**, 825-843.

Liang, P., Wang, G. X., and Wen, J. H. (2011). The detection filter choice of the OSL dating instrument. In "2011 International Conference on Electronic and Mechanical Engineering and Information Technology, EMEIT 2011." pp. 4030-4032.

Liu, C.-R., and Grün, R. (2011). Fluvio-mechanical resetting of the Al and Ti centres in quartz. *Radiation Measurements* **46**, 1038-1042.

Lu, H., Mason, J. A., Stevens, T., Zhou, Y., Yi, S., and Miao, X. (2011). Response of surface processes to climatic change in the dunefields and Loess Plateau of North China during the late Quaternary. *Earth Surface Processes and Landforms* **36**, 1590-1603.

Lü, T., and Sun, J. (2011). Luminescence sensitivities of quartz grains from eolian deposits in northern China and their implications for provenance. *Quaternary Research* **76**, 181-189.

Lüthgens, C., Böse, M., Lauer, T., Krbetschek, M., Strahl, J., and Wenske, D. (2011). Timing of the last interglacial in Northern Europe derived from Optically Stimulated Luminescence (OSL) dating of a terrestrial Saalian-Eemian-Weichselian sedimentary sequence in NE-Germany. *Quaternary International* **241**, 79-96.

Lüthgens, C., Böse, M., and Preusser, F. (2011). Age of the Pomeranian ice-marginal position in northeastern Germany determined by Optically Stimulated Luminescence (OSL) dating of glaciofluvial sediments. *Boreas* **40**, 598-615.

LysÅ, A., Jensen, M. A., Larsen, E., Fredin, O. L. A., and Demidov, I. N. (2011). Ice-distal landscape and sediment signatures evidencing damming and drainage of large pro-glacial lakes, northwest Russia. *Boreas* **40**, 481-497.

Macken, A. C., Jankowski, N. R., Price, G. J., Bestland, E. A., Reed, E. H., Prideaux, G. J., and Roberts, R. G. (2011). Application of sedimentary and chronological analyses to refine the depositional context of a Late Pleistocene vertebrate deposit, Naracoorte, South Australia. *Quaternary Science Reviews* **30**, 2690-2702.

Madsen, A., Buylaert, J.-P., and Murray, A. (2011). Luminescence dating of young coastal deposits from New Zealand using feldspar. *Geochronometria* **38**, 379-390.

Mallinson, D. J., Smith, C. W., Mahan, S., Culver, S. J., and McDowell, K. (2011). Barrier island response to late Holocene climate events, North Carolina, USA. *Quaternary Research* **76**, 46-57.

Maman, S., Blumberg, D. G., Tsoar, H., Mamedov, B., and Porat, N. (2011). The Central Asian ergs: A study by remote sensing and geographic information systems. *Aeolian Research* **3**, 353-366.

May, J.-H., Zech, J., Zech, R., Preusser, F., Argollo, J., Kubik, P. W., and Veit, H. (2011). Reconstruction of a complex late Quaternary glacial landscape in the Cordillera de Cochabamba (Bolivia) based on a morphostratigraphic and multiple dating approach. *Quaternary Research* **76**, 106-118.

Mishra, D. R., Soni, A., Rawat, N. S., Kulkarni, M. S., Bhatt, B. C., and Sharma, D. N. (2011). Method of measuring thermal assistance energy associated with OSL traps in [alpha]-Al₂O₃:C phosphor. *Radiation Measurements* **46**, 635-642.

Nejman, L., Rhodes, E., Škrdla, P., Tostevin, G., Neruda, P., Nerudová, Z., Valoch, K., Oliva, M., Kaminská, L., Svoboda, J. A., and Grün, R. (2011). New chronological evidence for the Middle to Upper Palaeolithic transition in the Czech Republic and Slovakia: New optically stimulated luminescence dating results. *Archaeometry* **53**, 1044-1066.

Pagonis, V., Lawless, J., Chen, R., and Chithambo, M. L. (2011). Analytical expressions for time-resolved optically stimulated luminescence experiments in quartz. *Journal of Luminescence* **131**, 1827-1835.

Pierce, K. L., Muhs, D. R., Fosberg, M. A., Mahan, S. A., Rosenbaum, J. G., Licciardi, J. M., and Pavich, M. J. (2011). A loess-paleosol record of climate and glacial history over the past two glacial-interglacial cycles (~ 150 ka), southern Jackson Hole, Wyoming. *Quaternary Research* **76**, 119-141.

Polymeris, G. S., Afouxenidis, D., Raptis, S., Liritzis, I., Tsirliganis, N. C., and Kitis, G. (2011). Relative response of TL and component-resolved OSL to alpha and beta radiations in annealed sedimentary quartz. *Radiation Measurements* **46**, 1055-1064.

Poreba, G., Snieszko, Z., and Moska, P. (2011). Some aspects of age assessment of Holocene loess colluvium: OSL and ¹³⁷Cs dating of sediment from Biala agricultural area, South Poland. *Quaternary International* **240**, 44-51.

Reimann, T., Tsukamoto, S., Harff, J., Osadczuk, K., and Frechen, M. (2011). Reconstruction of Holocene coastal foredune progradation using luminescence dating -- An example from the Swina barrier (southern Baltic Sea, NW Poland). *Geomorphology* **132**, 1-16.

Rosenberg, T. M., Preusser, F., and Wintle, A. G. (2011). A comparison of single and multiple aliquot TT-OSL data sets for sand-sized quartz from the Arabian Peninsula. *Radiation Measurements* **46**, 573-579.

Roskin, J., Porat, N., Tsoar, H., Blumberg, D. G., and Zander, A. M. (2011). Age, origin and climatic controls on vegetated linear dunes in the northwestern Negev Desert (Israel). *Quaternary Science Reviews* **30**, 1649-1674.

Roskin, J., Tsoar, H., Porat, N., and Blumberg, D. G. (2011). Palaeoclimate interpretations of Late Pleistocene vegetated linear dune mobilization episodes: evidence from the northwestern Negev dunefield, Israel. *Quaternary Science Reviews* **30**, 3364-3380.

Sebe, K., Csillag, G., Ruzsáczay-Rüdiger, Z., Fodor, L., Thamó-Bozsó, E., Müller, P., and Braucher, R. (2011). Wind erosion under cold climate: A Pleistocene periglacial mega-yardang system in Central Europe (Western Pannonian Basin, Hungary). *Geomorphology* **134**, 470-482.

Shao, Q., Bahain, J.-J., Falguères, C., Peretto, C., Arzarello, M., Minelli, A., Thun Hohenstein, U., Dolo, J.-M., Garcia, T., Frank, N., and Douville, E. (2011). New ESR/U-series data for the early Middle Pleistocene site of Isernia la Pineta, Italy. *Radiation Measurements* **46**, 847-852.

Shen, Z., and Mauz, B. (2011). Estimating the equivalent dose of late Pleistocene fine silt quartz from the Lower Mississippi Valley using a standardized OSL growth curve. *Radiation Measurements* **46**, 649-654.

Shen, Z. X., Mauz, B., and Lang, A. (2011). Source-trap characterization of thermally transferred OSL in quartz. *Journal of Physics D: Applied Physics* **44**, Art. No.295405.

Sholom, S., DeWitt, R., Simon, S. L., Bouville, A., and McKeever, S. W. S. (2011). Emergency dose estimation using optically stimulated luminescence from human tooth enamel. *Radiation Measurements* **46**, 778-782.

Skinner, A. R. (2011). Current topics in ESR dating. *Radiation Measurements* **46**, 749-753.

Stančikaite, M., Baltrunas, V., Karmaza, B., Karmaziene, D., Molodkov, A., Ostrauskas, T., Obukhowsky, V. S., Sidorowich, W. M., and Motuzko, A. N. (2011). The late glacial history of gornitsa foreland and kovaltsy Palaeolithic site, W Belarus. *Baltica* **24**, 25-36.

Starnberger, R., Rodnight, H., and Spötl, C. (2011). Chronology of the Last Glacial Maximum in the Salzach palaeoglacier area (Eastern Alps). *Journal of Quaternary Science* **26**, 502-510.

Suguio, K., Bezerra, F. H. R., and Barreto, A. M. F. (2011). Luminescence dated Late Pleistocene wave-built terraces in northeastern Brazil. *Anais da Academia Brasileira de Ciencias* **83**, 907-920.

Suther, B. E., Leigh, D. S., and Brook, G. A. (2011). Fluvial terraces of the little river valley, atlantic coastal plain, North Carolina. *Southeastern Geology* **48**, 73-93.

Swift, D. A., Sanderson, D. C. W., Nienow, P. W., Bingham, R. G., and Cochrane, I. C. (2011). Anomalous luminescence of subglacial sediment at Haut Glacier d'Arolla, Switzerland – a consequence of resetting at the glacier bed? *Boreas* **40**, 446-458.

Tamura, T., Bateman, M. D., Kodama, Y., Saitoh, Y., Watanabe, K., Yamaguchi, N., and Matsumoto, D. (2011). Building of shore-oblique transverse dune ridges revealed by ground-penetrating radar and optical dating over the last 500 years on Tottori coast, Japan Sea. *Geomorphology* **132**, 153-166.

Tamura, T., Kodama, Y., Bateman, M. D., Saitoh, Y., Watanabe, K., Matsumoto, D., and Yamaguchi, N. (2011). Coastal barrier dune construction during sea-level highstands in MIS 3 and 5a on Tottori coast-line, Japan. *Palaeogeography, Palaeoclimatology, Palaeoecology* **308**, 492-501.

Tanir, A. G., and Bölükdemir, M. H. (2011). Application of active-OSL Approximation to some experimental optical stimulated luminescence decay. *Turkish Journal of Physics* **35**, 265-272.

Telfer, M. W. (2011). Growth by extension, and reworking, of a south-western Kalahari linear dune. *Earth Surface Processes and Landforms* **36**, 1125-1135.

Thiel, C., Buylaert, J.-P., Murray, A., and Tsukamoto, S. (2011). On the applicability of post-IR IRSL dating to Japanese loess. *Geochronometria* **38**, 369-378.

Thiel, C., Terhorst, B., Jaburová, I., Buylaert, J.-P., Murray, A. S., Fladerer, F. A., Damm, B., Frechen, M., and Ottner, F. (2011). Sedimentation and erosion processes in Middle to Late Pleistocene sequences exposed in the brickyard of Langenlois/Lower Austria. *Geomorphology* **135**, 295-307.

Thompson, T. A., Lepper, K., Endres, A. L., Johnston, J. W., Baedke, S. J., Argyilan, E. P., Booth, R. K., and Wilcox, D. A. (2011). Mid Holocene lake level and shoreline behavior during the Nipissing phase of the upper Great Lakes at Alpena, Michigan, USA. *Journal of Great Lakes Research* **37**, 567-576.

Timar-Gabor, A., Vandenberghe, D. A. G., Vasiliniuc, S., Panaoitu, C. E., Panaiotu, C. G., Dimofte, D., and Cosma, C. (2011). Optical dating of Romanian loess: A comparison between silt-sized and sand-sized quartz. *Quaternary International* **240**, 62-70.

Tófalo, O., Orgeira, M. J., Compagnucci, R., Alonso, M. S., and Ramos, A. (2011). Characterization of a loess–paleosols section including a new record of the last interglacial stage in Pampean plain, Argentina. *Journal of South American Earth Sciences* **31**, 81-92.

Tripaldi, A., Zárate, M. A., Brook, G. A., and Li, G.-Q. (2011). Late Quaternary paleoenvironments and paleoclimatic conditions in the distal Andean piedmont, southern Mendoza, Argentina. *Quaternary Research* **76**, 253-263.

Völkel, J., Huber, J., and Leopold, M. (2011). Significance of slope sediments layering on physical characteristics and interflow within the Critical Zone - Examples from the Colorado Front Range, USA. *Applied Geochemistry* **26**, S143-S145.

Wacha, L., and Frechen, M. (2011). The geochronology of the "Gorjanovic loess section" in Vukovar, Croatia. *Quaternary International* **240**, 87-99.

Wagner, T., Fritz, H., Stüwe, K., Nestroy, O., Rodnight, H., Hellstrom, J., and Benischke, R. (2011). Correlations of cave levels, stream terraces and planation surfaces along the River Mur—Timing of landscape evolution along the eastern margin of the Alps. *Geomorphology* **134**, 62-78.

Wang, X. L., Wintle, A. G., Du, J. H., Kang, S. G., and Lu, Y. C. (2011). Recovering laboratory doses using fine-grained quartz from Chinese loess. *Radiation Measurements* **46**, 1073-1081.

Weckwerth, P., Przegiętka, K., Chruścińska, A., Woronko, B., and Oczkowski, H. (2011). Age and sedimentological features of fluvial series in the Toruń Basin and the Drwęca Valley (Poland). *Geochronometria* **38**, 397-412.

Winterfeld, M., Schirrmeister, L., Grigoriev, M. N., Kunitsky, V. V., Andreev, A., Murray, A., and Overduin, P. P. (2011). Coastal permafrost landscape development since the Late Pleistocene in the western Laptev Sea, Siberia. *Boreas* **40**, 697-713.

Wright, D. K., Forman, S. L., Waters, M. R., and Ravesloot, J. C. (2011). Holocene eolian activation as a proxy for broad-scale landscape change on the Gila River Indian Community, Arizona. *Quaternary Research* **76**, 10-21.

Yang, L., Lai, Z., Long, H., and Zhang, J. (2011). Construction of a quartz OSL standardised growth curve (SGC) for aeolian samples from the Horqin dunefield in northeastern China. *Geochronometria* **38**, 391-396.

Zahedifar, M., Harooni, S., and Sadeghi, E. (2011). Thermoluminescence kinetic analysis of quartz using an improved general order model for exponential distribution of activation energies. *NIMA* **654**, 569-574.

Zhu, Y., Shen, J., Lei, G. L., and Wang, Y. (2011). Environmental evolution of Xingkai (Khanka) Lake since 200 ka by OSL dating of sand hills. *Chinese Science Bulletin* **56**, 2604-2612.

Papers from the L.A.I.S. conference published in Volume 10/4 of Mediterranean Archaeology and Archaeometry

Burbridge, C. I., Rodrigues, A. L., Dias, M. I., Prudencio, M. I., and Cardoso, G. (2010). Optimisation of preparation and measurement protocols for luminescence dating of small samples from a suite of porcelains and faiences. *Mediterranean Archaeology and Archaeometry* **10**, 53-60.

Chung, H., Gonzalez, P., Ramirez, A., Schaaf, P., and Lee, I. (2010). Rethinking about chronology of Chichen Itza: by thermoluminescence dating of volcanic glass. *Mediterranean Archaeology and Archaeometry* **10**, 115-120.

Derese, C., Vandenberghe, D. A. G., Van Gils, M., Vanmontfort, B., Meirsman, E., Mees, F., and Van Den Haute, P. (2010). Establishing a chronology for landscape evolution around a final Palaeolithic site at Arendonk - Korhaan (Ne Belgium): First results from optically stimulated luminescence dating. *Mediterranean Archaeology and Archaeometry* **10**, 43-51.

Galli, A., Martini, M., Sibila, E., and Villa, I. (2010). Towards luminescence dating of mosaic glass. *Mediterranean Archaeology and Archaeometry* **10**, 77-82.

Garcia-Guinea, J., Crespo-Feo, E., Correcher, V., Iordanidis, A., Charalampides, G., and Karamitrou-Mentessidi, G. (2010). New data on the cathodoluminescence of white marbles: Interpretation of peaks and relationships to weathering. *Mediterranean Archaeology and Archaeometry* **10**, 107-114.

Kitis, G., Kiyak, N. G., Polymeris, G. S., and Pagonis, V. (2010). Investigation of the OSL signal from very deep traps in natural quartz. *Mediterranean Archaeology and Archaeometry* **10**, 93-98.

Kiyak, N. G., Takaoğlu, T., Erginal, A. E., and Ozcan, H. (2010). Luminescence dating of prehistoric site of Smintheion (Gulpinar) in NW Turkey. *Mediterranean Archaeology and Archaeometry* **10**, 35-42.

Liritzis, I., Zacharias, N., Polymeris, G. S., Kitis, G., Ernstson, K., Sudhaus, D., Neumair, A., Mayer, W., Rappenglück, M. A., and Rappenglück, B. (2010). The Chiemgau meteorite impact and tsunami event (southeast Germany): First OSL dating. *Mediterranean Archaeology and Archaeometry* **10**, 17-33.

Michael, C. T., Zacharias, N., and Hein, A. (2010). Thick source alpha particle spectroscopy: possibilities and prospects. *Mediterranean Archaeology and Archaeometry* **10**, 99-105.

Polymeris, G. S., Gogou, D., Afouxenidis, D., Rapti, S., Tsirliganis, N. C., and Kitis, G. (2010). Preliminary TL and OSL investigation of a naturally and artificially irradiated obsidian. *Mediterranean Archaeology and Archaeometry* **10**, 83-91.

Ramirez, A., Schaaf, P., and Ortiz, E. (2010). Analysis of Zapotec ceramics of the Caxonos River Basin, Oaxaca, Mexico by thermoluminescence (TL). *Mediterranean Archaeology and Archaeometry* **10**, 121-127.

Singhvi, A. K., Chauhan, N., and Biswas, R. H. (2010). A survey of some new approaches in extending the maximum age limit and accuracy of luminescence application to archaeological chronometry. *Mediterranean Archaeology and Archaeometry* **10**, 9-15.

Subedi, B., Afouxenidis, D., Polymeris, G. S., Bakoglidis, K., Raptis, S., Tsirliganis, N., and Kitis, G. (2010). Thermal quenching of thermoluminescence in quartz samples of various origins. *Mediterranean Archaeology and Archaeometry* **10**, 69-75.

Subedi, B., Afouxenidis, D., Polymeris, G. S., Tsirliganis, N., Paraskevopoulos, K. M., and Kitis, G. (2010). TL and OSL response of Turquoise for dosimetric application. *Mediterranean Archaeology and Archaeometry* **10**, 61-67.

Wagner, G. A., and Kadereit, A. (2010). Luminescence dating – A key technology in geoarchaeology. *Mediterranean Archaeology and Archaeometry* **10**, 3-8.

Papers from the '2nd Asia Pacific Conference on Luminescence Dating' conference published in Volume 38/3 of *Geochronometria*

Chauhan, N., and Singhvi, A. (2011). Distribution in SAR palaeodoses due to spatial heterogeneity of natural beta dose. *Geochronometria* **38**, 190-198.

Craig, J., and Sears, D. (2011). Thermoluminescence as a technique for determining the nature and history of small solar system particles. *Geochronometria* **38**, 272-281.

Fitzsimmons, K. (2011). An assessment of the luminescence sensitivity of Australian quartz with respect to sediment history. *Geochronometria* **38**, 199-208.

Glennie, K., Fryberger, S., Hern, C., Lancaster, N., Teller, J., Pandey, V., and Singhvi, A. (2011). Geological importance of luminescence dates in Oman and the Emirates: An overview. *Geochronometria* **38**, 259-271.

Kitis, G., Polymeris, G., Kiyak, N., and Pagonis, V. (2011). Preliminary results towards the equivalence of transformed continuous-wave Optically Stimulated Luminescence (CW-OSL) and linearly-modulated (LM-OSL) signals in quartz. *Geochronometria* **38**, 209-216.

Koul, D., and Chougankar, M. (2011). An attempt to estimate firing temperature using OSL pre-dose sensitization of quartz. *Geochronometria* **38**, 217-222.

Liritzis, I. (2011). Surface dating by luminescence: An overview. *Geochronometria* **38**, 292-302.

Morthekai, P., Jain, M., Cunha, P., Azevedo, J., and Singhvi, A. (2011). An attempt to correct for the fading in million year old basaltic rocks. *Geochronometria* **38**, 223-230.

Rajaguru, S., Deotare, B., Gangopadhyay, K., Sain, M., and Panja, S. (2011). Potential geoarchaeological sites for luminescence dating in the Ganga Bhagirathi-Hugli delta, west Bengal, India. *Geochronometria* **38**, 282-291.

Sears, D. (2011). The thermoluminescence of meteorites: A brief 2010 perspective. *Geochronometria* **38**, 303-313.

Singhvi, A., Stokes, S., Chauhan, N., Nagar, Y., and Jaiswal, M. (2011). Changes in natural OSL sensitivity during single aliquot regeneration procedure and their implications for equivalent dose determination. *Geochronometria* **38**, 231-241.

Sohbati, R., Murray, A., Jain, M., Buylaert, J.-P., and Thomsen, K. (2011). Investigating the resetting of OSL signals in rock surfaces. *Geochronometria* **38**, 249-258.

Toyoda, S. (2011). The E1' center in natural quartz: Its formation and applications to dating and provenance researches. *Geochronometria* **38**, 242-248.

Papers from a special issue on 'Loess in Europe' in Volume 60/1 of *E&G Quaternary Science Journal*

Frank, C., Terhorst, B., Damm, B., Thiel, C., Frechen, M., and Peticzka, R. (2011). Pleistocene loess deposits and mollusc assemblages in the Eastern Pre-Alps. *E&G Quaternary Science Journal* **60**, 126-136.

Frechen, M., and Schirmer, W. (2011). Luminescence Chronology of the Schwalbenberg II Loess in the Middle Rhine valley. *E&G Quaternary Science Journal* **60**, 78-89.

Kruck, W., Helms, F., Geyh, M. A., Suriano, J. M., Marengo, H. G., and Pereyra, F. (2011). Late Pleistocene-Holocene History of Chaco-Pampa Sediments in Argentina and Paraguay. *E&G Quaternary Science Journal* **60**, 188–202.

Schmidt, E. D., Murray, A. S., Sirocko, F., Tsukamoto, S., and Frechen, M. (2011). IRSL signals from maar Lake sediments stimulated at various temperatures. *E&G Quaternary Science Journal* **60**, 105–115.

Schmidt, E. D., Semmel, A., and Frechen, M. (2011). Luminescence dating of the loess/palaeosol sequence at the gravel quarry Gaul/Weilbach, southern Hesse (Germany). *E&G Quaternary Science Journal* **60**, 116–125.

Thiel, C., Buylaert, J.-P., Murray, A. S., Terhorst, B., Tsukamoto, S., Frechen, M., and Sprafke, T. (2011). Investigating the chronostratigraphy of prominent palaeosols in Lower Austria using post-ir IRSL dating. *E&G Quaternary Science Journal* **60**, 137–152.

Urban, B., Kunz, A., and Gehrt, E. (2011). Genesis and dating of Late Pleistocene-Holocene soil sediment sequences from the Lüneburg Heath, northern Germany. *E&G Quaternary Science Journal* **60**, 6–26.

Wacha, L., Pavlaković, S. M., Frechen, M., and Crnjaković, M. (2011). The Loess Chronology of the Island of Susak, Croatia. *E&G Quaternary Science Journal* **60**, 153–169.