
Ancient TL

www.ancienttl.org · ISSN: 2693-0935

Ancient TL, 2016. *Bibliography*. Ancient TL 34(1): 32-41. <https://doi.org/10.26034/la.atl.2016.502>

This article is published under a *Creative Commons Attribution 4.0 International* (CC BY):
<https://creativecommons.org/licenses/by/4.0>



© Ancient TL, 2016

Bibliography

Compiled by Daniel Richter

From 1st December 2015 to 15th May 2016

- Ahlborn, M., Haberzettl, T., Wang, J., Fürstenberg, S., Mäusbacher, R., Mazzocco, J., Pierson, J., Zhu, L., and Frenzel, P. (2016). Holocene lake level history of the Tangra Yumco lake system, southern-central Tibetan Plateau. *The Holocene* **26**, 176-187.
- Baria, R., Cano, N. F., Silva-Carrera, B. N., Watanabe, S., Neves, E. G., Tatumi, S. H., and Munita, C. S. (2015). Archaeometric studies of ceramics from the So Paulo II archaeological site. *Journal of Radioanalytical and Nuclear Chemistry* **306**, 721-727.
- Barros, L. F. d. P., Coe, H. H. G., Seixas, A. P., Magalhães Jr, A. P., and Macario, K. C. D. (2016). Paleobiogeoclimatic scenarios of the Late Quaternary inferred from fluvial deposits of the Quadrilátero Ferrífero (Southeastern Brazil). *Journal of South American Earth Sciences* **67**, 71-88.
- Bateman, M. D., Evans, D. J. A., Buckland, P. C., Connell, E. R., Friend, R. J., Hartmann, D., Moxon, H., Fairburn, W. A., Panagiotakopulu, E., and Ashurst, R. A. (2015). Last glacial dynamics of the Vale of York and North Sea lobes of the British and Irish Ice Sheet. *Proceedings of the Geologists' Association* **126**, 712-730.
- Bhattacharjee, D., Jain, V., Chattopadhyay, A., Biswas, R. H., and Singhvi, A. K. (2016). Geomorphic evidences and chronology of multiple neotectonic events in a cratonic area: Results from the Gavilgarh Fault Zone, central India. *Tectonophysics* **677–678**, 199-217.
- Calzolari, G., Della Seta, M., Rossetti, F., Nozaem, R., Vignaroli, G., Cosentino, D., and Faccenna, C. (2016). Geomorphic signal of active faulting at the northern edge of Lut Block: Insights on the kinematic scenario of Central Iran. *Tectonics* **35**, 76-102.
- Carr, A. S., Armitage, S. J., Berrío, J.-C., Bilbao, B. A., and Boom, A. (2016). An optical luminescence chronology for late Pleistocene aeolian activity in the Colombian and Venezuelan Llanos. *Quaternary Research* **85**, 299-312.
- Chapot, M. S., Roberts, H. M., Duller, G. A. T., and Lai, Z. P. (2016). Natural and laboratory TT-OSL dose response curves: Testing the lifetime of the TT-OSL signal in nature. *Radiation Measurements* **85**, 41-50.
- Chaussé, C., Blaser, F., Debenham, N., Roque, C., and Vartanian, E. (2015). Pléistocène supérieur et paléolithique dans le domaine des sables stampiens (rupéliens) du sud du bassin de Paris: les données du site de Melun-Montaigu(Seine-et-Marne, France). *Quaternaire* **26**, 245-255.
- Chen, R., Pagonis, V., and Lawless, J. L. (2015). Time and dose-rate dependence of TL and OSL due to competition between excitation and fading. *Radiation Measurements* **82**, 115-121.
- Chruścińska, A., and Kijek, N. (2016). Thermally modulated optically stimulated luminescence (TM-OSL) as a tool of trap parameter analysis. *Journal of Luminescence* **174**, 42-48.

- Clemmensen, L. B., Glad, A. C., and Kroon, A. (2016). Storm flood impacts along the shores of micro-tidal inland seas: A morphological and sedimentological study of the Vesterlyng beach, the Belt Sea, Denmark. *Geomorphology* **253**, 251-261.
- Costas, S., Naughton, F., Goble, R., and Renssen, H. (2016). Windiness spells in SW Europe since the last glacial maximum. *Earth and Planetary Science Letters* **436**, 82-92.
- de León, D. Z., Kershaw, S., and Mahan, S. (2016). Quaternary alluvial fans of Ciudad Juárez, Chihuahua, northern México: OSL ages and implications for climatic history of the region. *Boletín de la Sociedad Geológica Mexicana* **68**, 111-128.
- De Pascale, G. P., Chandler-Yates, N., Dela Pena, F., Wilson, P., May, E., Twiss, A., and Cheng, C. (2016). Active tectonics west of New Zealand's Alpine Fault: South Westland Fault Zone activity shows Australian Plate instability. *Geophysical Research Letters* **43**, 3120-3125.
- Delile, H., Schmitt, L., Jacob-Rousseau, N., Grosprêtre, L., Privolt, G., and Preusser, F. (2016). Headwater valley response to climate and land use changes during the Little Ice Age in the Massif Central (Yzeron basin, France). *Geomorphology* **257**, 179-197.
- Dietze, M., Dietze, E., Lomax, J., Fuchs, M., Kleber, A., and Wells, S. G. (2016). Environmental history recorded in aeolian deposits under stone pavements, Mojave Desert, USA. *Quaternary Research* **85**, 4-16.
- Dietze, M., Kreutzer, S., Burow, C., Fuchs, M. C., Fischer, M., and Schmidt, C. (2016). The abanico plot: Visualising chronometric data with individual standard errors. *Quaternary Geochronology* **31**, 12-18.
- Dougherty, A. J., Choi, J.-H., and Dosseto, A. (2016). Prograded Barriers plus GPR plus OSL = Insight on Coastal Change over Intermediate Spatial and Temporal Scales. *Journal of Coastal Research Spec.Iss.* **75**, 368-372.
- Druzhinina, O., Molodkov, A., Bitinas, A., Bregman, E. (2016). The Oldest Evidence for Human Habitation in the Baltic Region: A Preliminary Report on the Chronology and Archaeological Context of the Riadino-5 Archaeological Site. *Geoarchaeology: An International Journal* **31**, 156–164.
- Duval, M. (2016). Comments on “ESR dating of the Majuangou and Banshan Paleolithic sites in the Nihewan Basin, North China” by Liu et al. (2014). *Journal of Human Evolution* **90**, 198-202.
- Faershtein, G., Porat, N., Avni, Y., and Matmon, A. (2016). Aggradation–incision transition in arid environments at the end of the Pleistocene: An example from the Negev Highlands, southern Israel. *Geomorphology* **253**, 289-304.
- Fairburn, W. A., and Bateman, M. D. (2016). A new multi-stage recession model for Proglacial Lake Humber during the retreat of the last British–Irish Ice Sheet. *Boreas* **45**, 133-151.
- Fan, Y., Zhang, F., Zhang, F., Liu, W., Chen, X., Fan, T., Wang, Y., Chen, F., and Lai, Z. (2016). History and mechanisms for the expansion of the Badain Jaran Desert, northern China, since 20 ka: Geological and luminescence chronological evidence. *The Holocene* **26**, 532-548.
- Fasoli, M., and Martini, M. (2016). The composite nature of the thermoluminescence UV emission of quartz. *Journal of Luminescence* **173**, 120-126.
- Fattahi, M., and Walker, R. (2016). Optical dating of Holocene lake bed sediments of the Nimbluk Plain, Khorasan, Northeast Iran: Implications for the climate change and palaeo-environment. *Journal of the Earth and Space Physics* **41**, 1-12.

- Frankel, K. L., Owen, L. A., Dolan, J. F., Knott, J. R., Lifton, Z. M., Finkel, R. C., and Wasklewicz, T. (2016). Timing and rates of Holocene normal faulting along the Black Mountains fault zone, Death Valley, USA. *Lithosphere* **8**, 3-22.
- Gadot, Y., Davidovich, U., Avni, G., Avni, Y., Piasetzky, M., Faershtein, G., Golan, D., and Porat, N. (2016). The formation of a Mediterranean terraced landscape: Mount Eitan, Judean Highlands, Israel. *Journal of Archaeological Science: Reports* **6**, 397-417.
- Gallagher, C., Telfer, M. W., and Ó Cofaigh, C. (2015). A Marine Isotope Stage 4 age for Pleistocene raised beach deposits near Fethard, southern Ireland. *Journal of Quaternary Science* **30**, 754-763.
- Gao, H., Li, Z., Pan, B., Liu, F., and Liu, X. (2016). Fluvial responses to late Quaternary climate change in the Shiyang River drainage system, western China. *Geomorphology* **258**, 82-94.
- Glasser, N. F., Jansson, K. N., Duller, G. A. T., Singarayer, J., Holloway, M., and Harrison, S. (2016). Glacial lake drainage in Patagonia (13-8 kyr) and response of the adjacent Pacific Ocean. *Scientific Reports* **6**, 21064.
- Gliganic, L. A., Cohen, T. J., Slack, M., and Feathers, J. K. (2016). Sediment mixing in aeolian sandsheets identified and quantified using single-grain optically stimulated luminescence. *Quaternary Geochronology* **32**, 53-66.
- Grellet-Tinner, G., Spooner, N. A., and Worthy, T. H. (2016). Is the “Genyornis” egg of a mihirung or another extinct bird from the Australian dreamtime? *Quaternary Science Reviews* **133**, 147-164.
- Guilarte, V., Trompier, F., and Duval, M. (2016). Evaluating the Potential of Q-Band ESR Spectroscopy for Dose Reconstruction of Fossil Tooth Enamel. *Plos One* **11**, e0150346.
- Guo, X., Sun, Z., Lai, Z., Lu, Y., and Li, X. (2016). Optical dating of landslide-dammed lake deposits in the upper Yellow River, Qinghai-Tibetan Plateau, China. *Quaternary International* **392**, 233-238.
- Gusev, E.A., Molodkov, A.N., Streletskaia, I.D., Vasiliev, A.A., Anikina, N.Y., Bondarenko, S.A., Derevyanko, L.G., Kupriyanova, N.V., Maksimov, F.E., Polyakova, E.I., Pushina, Z.V., Stepanova, G.V., Oblogov, G.E. (2016). Deposits of the Kazantsevo Transgression (MIS 5) in the Northern Yenisei Region. *Russian Geology and Geophysics* **57**, 586–596.
- Haddadchi, A., Olley, J., and Pietsch, T. (2016). Using LM-OSL of quartz to distinguish sediments derived from surface-soil and channel erosion. *Hydrological Processes* **30**, 637-647.
- Han, F., Sun, C., Bahain, J.-J., Zhao, J., Lin, M., Xing, S., and Yin, G. (2016). Coupled ESR and U-series dating of fossil teeth from Yiyuan hominin site, northern China. *Quaternary International* **400**, 195-201.
- Hoffecker, J. F., Holliday, V. T., Anikovich, M. V., Dudin, A. E., Platonova, N. I., Popov, V. V., Levkovskaya, G. M., Kuz'mina, I. E., Syromyatnikova, E. V., Burova, N. D., Goldberg, P., Macphail, R. I., Forman, S. L., Carter, B. J., and Crawford, L. J. (2016). Kostenki 1 and the early Upper Paleolithic of Eastern Europe. *Journal of Archaeological Science: Reports* **5**, 307-326.
- Honegger, M., and Williams, M. (2015). Human occupations and environmental changes in the Nile valley during the Holocene: The case of Kerma in Upper Nubia (northern Sudan). *Quaternary Science Reviews* **130**, 141-154.
- Houmark-Nielsen, M., Bennike, O., Lemdahl, G., and Lüthgens, C. (2016). Evidence of ameliorated Middle Weichselian climate and sub-arctic environment in the western Baltic region: coring lake sediments at Klintholm, Møn, Denmark. *Boreas* **45**, 347-359.

- Hu, G., Huang, C. C., Zhou, Y., Pang, J., Zha, X., Guo, Y., Zhang, Y., and Zhao, X. (2016). Extreme paleoflood events 3200–3000 a BP in the Jingyuan–Jingtai reaches of the upper Yellow River, China. *The Holocene* **26**, 790-800.
- Hu, X., Pan, B., Kirby, E., Gao, H., Hu, Z., Cao, B., Geng, H., Li, Q., and Zhang, G. (2015). Rates and kinematics of active shortening along the eastern Qilian Shan, China, inferred from deformed fluvial terraces. *Tectonics* **34**, 2478-2493.
- Hu, Z., Pan, B., Guo, L., Vandenberghe, J., Liu, X., Wang, J., Fan, Y., Mao, J., Gao, H., and Hu, X. (2016). Rapid fluvial incision and headward erosion by the Yellow River along the Jinshaan gorge during the past 1.2 Ma as a result of tectonic extension. *Quaternary Science Reviews* **133**, 1-14.
- Huckleberry, G., Ferguson, T. J., Rittenour, T., Banet, C., and Mahan, S. (2016). Identification and dating of indigenous water storage reservoirs along the Rio San José at Laguna Pueblo, western New Mexico, USA. *Journal of Arid Environments* **127**, 171-186.
- Jia, L., Zhang, X., Ye, P., Zhao, X., He, Z., He, X., Zhou, Q., Li, J., Ye, M., Wang, Z., and Meng, J. (2016). Development of the alluvial and lacustrine terraces on the northern margin of the Hetao Basin, Inner Mongolia, China: Implications for the evolution of the Yellow River in the Hetao area since the late Pleistocene. *Geomorphology* **263**, 87-98.
- Jones, M. D., Maher, L. A., Macdonald, D. A., Ryan, C., Rambeau, C., Black, S., and Richter, T. (2016). The environmental setting of Epipalaeolithic aggregation site Kharaneh IV. *Quaternary International* **396**, 95-104.
- Kalińska-Nartiša, E., and Nartišs, M. (2016). The fan-like forms in the southern margin of the Mazovian Lowland area (Central Poland): a new high-resolution textural-timing study. *International Journal of Earth Sciences* **105**, 885-903.
- Kalita, J. M., and Wary, G. (2016). Trap and recombination sites of biotite mineral estimated by thermoluminescence analysis. *Journal of Luminescence* **170**, Part 1, 64-71.
- Kang, S., Roberts, H. M., Wang, X., An, Z., and Wang, M. (2015). Mass accumulation rate changes in Chinese loess during MIS 2, and asynchrony with records from Greenland ice cores and North Pacific Ocean sediments during the Last Glacial Maximum. *Aeolian Research* **19**, 251-258.
- Karátson, D., Wulf, S., Veres, D., Magyari, E. K., Gertisser, R., Timar-Gabor, A., Novothny, Á., Telbisz, T., Szalai, Z., Anechitei-Deacu, V., Appelt, O., Bormann, M., János, C., Hubay, K., and Schäbitz, F. (2016). The latest explosive eruptions of Ciomadul (Csomád) volcano, East Carpathians — A tephrostratigraphic approach for the 51–29 ka BP time interval. *Journal of Volcanology and Geothermal Research* **319**, 29-51.
- Karmakar, M., Bhattacharyya, S., Mazumdar, P. S., and Singh, S. D. (2015). On the determination of activation energy and the order of kinetics in thermoluminescence. *Radiation Effects and Defects in Solids* **170**, 977-988.
- Kaya Keleş, Ş., Meriç, N., and Polymeris, G. S. (2016). Dose response on the 110 °C thermoluminescence peak of un-heated, synthetic Merck quartz. *Physica B: Condensed Matter* **493**, 17-24.
- Kehl, M., Burow, C., Cantalejo, P., Domínguez-Bella, S., Durán, J. J., Henselowsky, F., Klasen, N., Linstädter, J., Medianero, J., Pastoors, A., Ramos, J., Reicherter, K., Schmidt, C., and Weniger, G.-C. (2016). Site formation and chronology of the new Paleolithic site Sima de Las Palomas de Teba, southern Spain. *Quaternary Research* **85**, 313-331.

- King, G. E., Herman, F., Lambert, R., Valla, P. G., and Guralnik, B. (2016). Multi-OSL-thermochronometry of feldspar. *Quaternary Geochronology* **33**, 76-87.
- Kitis, G., Polymeris, G. S., Şahiner, E., Meriç, N., and Pagonis, V. (2016). Influence of the infrared stimulation on the optically stimulated luminescence in four K-feldspar samples. *Journal of Luminescence* **176**, 32-39.
- Kolb, T., Fuchs, M., and Zöller, L. (2016). Deciphering fluvial landscape evolution by luminescence dating of river terrace formation: A case study from Northern Bavaria, Germany. *Zeitschrift für Geomorphologie* **60**, 29-48.
- Kothyari, G. C., Rastogi, B. K., Morthekai, P., and Dumka, R. K. (2016). Landform development in a zone of active Gedi Fault, Eastern Kachchh rift basin, India. *Tectonophysics* **670**, 115-126.
- Kothyari, G. C., Rastogi, B. K., Morthekai, P., Dumka, R. K., and Kandregula, R. S. (2016). Active segmentation assessment of the tectonically active South Wagad Fault in Kachchh, Western Peninsular India. *Geomorphology* **253**, 491-507.
- Kumar, D., Reddy, D. V., and Pandey, A. K. (2016). Paleoseismic investigations in the Kopili Fault Zone of North East India: Evidences from liquefaction chronology. *Tectonophysics* **674**, 65-75.
- Küster, M., Fülling, A., and Ulrich, J. (2015). Bw horizon in Holocene slope deposits (Kratzeburg, NE Germany) – dating and pedological characteristics. *E&G Quaternary Science Journal* **64**, 111–117.
- Lahr, M. M., Rivera, F., Power, R. K., Mounier, A., Copsey, B., Crivellaro, F., Edung, J. E., Fernandez, J. M. M., Kiarie, C., Lawrence, J., Leakey, A., Mbua, E., Miller, H., Muigai, A., Mukhongo, D. M., Van Baelen, A., Wood, R., Schwenninger, J. L., Grün, R., Achyuthan, H., Wilshaw, A., and Foley, R. A. (2016). Inter-group violence among early Holocene hunter-gatherers of West Turkana, Kenya. *Nature* **529**, 394-398.
- Lanckriet, S., Schwenninger, J.-L., Frankl, A., and Nyssen, J. (2015). The Late-Holocene geomorphic history of the Ethiopian Highlands: Supportive evidence from May Tsimble. *Catena* **135**, 290-303.
- Leonard, S., and Nott, J. (2016). A Holocene fluvial archive of the Mulgrave River, Northeastern Australia: Influence of tropical cyclones and sediment delivery to the Great Barrier Reef. *Palaeogeography, Palaeoclimatology, Palaeoecology* **441**, Part 4, 845-853.
- Li, D., Du, J., Ma, Y., and Xiao, A. (2015). Active faults and dip slip rates along the northern margins of the Huashan Mountain and Weinan loess tableland in the southeastern Weihe Graben, central China. *Journal of Asian Earth Sciences* **114**, 266-278.
- Li, T., Wu, Y., Du, S., Huang, W., Hao, C., Guo, C., Zhang, M., and Fu, T. (2016). Geochemical characterization of a Holocene aeolian profile in the Zhongba area (southern Tibet, China) and its paleoclimatic implications. *Aeolian Research* **20**, 169-175.
- Liu, B., Zhu, G., Zhai, M., Gu, C., and Liu, S. (2015). Quaternary faulting of the Jiangsu part of the Tan-Lu Fault Zone, East China: Evidence from field investigations and OSL dating. *Journal of Asian Earth Sciences* **114**, 89-102.
- Liu, X.-J., Madsen, D. B., Liu, R., Sun, Y., and Wang, Y. (2016). Holocene lake level variations of Longmu Co, western Qinghai-Tibetan Plateau. *Environmental Earth Sciences* **75**, 1-14.
- Liu, Y., Sun, Q., Thomas, I., Zhang, L., Finlayson, B., Zhang, W., Chen, J., and Chen, Z. (2015). Middle Holocene coastal environment and the rise of the Liangzhu City complex on the Yangtze delta, China. *Quaternary Research* **84**, 326-334.

- Long, H., Fuchs, M., Yang, L., and Cheng, H. (2016). Abrupt sand-dune accumulation at the northeastern margin of the Tibetan Plateau challenges the wet MIS3a inferred from numerous lake-highstands. *Scientific Reports* **6**, 25820.
- Lu, H., Xu, Y., Niu, Y., Wang, Z., Wang, H., Zhao, J., Zhang, W., and Zheng, X. (2016). Late Quaternary loess deposition in the southern Chaiwopu Basin of the northern Chinese Tian Shan foreland and its palaeoclimatic implications. *Boreas* **45**, 304-321.
- Manaa, A. A., Jones, B. G., McGregor, H. V., Zhao, J.-x., and Price, D. M. (2016). Dating Quaternary raised coral terraces along the Saudi Arabian Red Sea coast. *Marine Geology* **374**, 59-72.
- Margold, M., Jansen, J. D., Gurinov, A. L., Codilean, A. T., Fink, D., Preusser, F., Reznichenko, N. V., and Mifsud, C. (2016). Extensive glaciation in Transbaikalia, Siberia, at the Last Glacial Maximum. *Quaternary Science Reviews* **132**, 161-174.
- Matmon, A., Elfassi, S., Hidy, A., Geller, Y., and Porat, N. (2016). Controls on aggradation and incision in the NE Negev, Israel, since the middle Pleistocene. *Geomorphology* **261**, 132-146.
- May, S. M., Falvard, S., Norpoth, M., Pint, A., Brill, D., Engel, M., Scheffers, A., Dierick, M., Paris, R., Squire, P., and Brückner, H. (2016). A mid-Holocene candidate tsunami deposit from the NW Cape (Western Australia). *Sedimentary Geology* **332**, 40-50.
- Meriç, E., Yokeş, M. B., Avşar, N., Kıyak, N. G., Öner, E., Nazik, A., Demirtaşlı, E., Dinçer, F., and Öztürk, M. Z. (2016). Did *Amphistegina lobifera* Larsen reach the Mediterranean via the Suez Canal? *Quaternary International* **401**, 91-98.
- Moncel, M.-H., Despriée, J., Voinchet, P., Courcimault, G., Hardy, B., Bahain, J.-J., Puaud, S., Gallet, X., and Falguères, C. (2016). The Acheulean workshop of la Noira (France, 700 ka) in the European technological context. *Quaternary International* **393**, 112-136.
- Morais, E. S. d., Santos, M. L. d., Cremon, É. H., and Stevaux, J. C. (2016). Floodplain evolution in a confluence zone: Paraná and Ivaí rivers, Brazil. *Geomorphology* **257**, 1-9.
- Muñoz-Salinas, E., Castillo, M., Sanderson, D., Kinnaird, T., and Cruz-Zaragoza, E. (2016). Using three different approaches of OSL for the study of young fluvial sediments at the coastal plain of the Usumacinta–Grijalva River Basin, southern Mexico. *Earth Surface Processes and Landforms* **41**, 823-834.
- Nicoll, K., and Keen-Zebert, A. (2016). Initial chronological determinations at an Archaic site discovered near Stockton, Utah. *Journal of Archaeological Science: Reports* **6**, 418-423.
- Nordt, L., Bongino, J., Forman, S., Esker, D., and Benedict, A. (2015). Late Quaternary environments of the Waco Mammoth site, Texas USA. *Quaternary Research* **84**, 423-438.
- Odriozola, C. P., Villalobos García, R., Burbidge, C. I., Boaventura, R., Sousa, A. C., Rodríguez-Ariza, O., Parrilla-Giraldez, R., Prudêncio, M. I., and Dias, M. I. (2016). Distribution and chronological framework for Iberian variscite mining and consumption at Pico Centeno, Encinasola, Spain. *Quaternary Research* **85**, 159-176.
- Oliva, M., Antoniades, D., Giralt, S., Granados, I., Pla-Rabes, S., Toro, M., Liu, E. J., Sanjurjo, J., and Vieira, G. (2016). The Holocene deglaciation of the Byers Peninsula (Livingston Island, Antarctica) based on the dating of lake sedimentary records. *Geomorphology* **261**, 89-102.

- Ollé, A., Vergès, J. M., Rodríguez-Álvarez, X. P., Cáceres, I., Angelucci, D. E., Vallverdú, J., Demuro, M., Arnold, L. J., Falguères, C., Bennàsar, M., López-García, J. M., Blain, H.-A., Bañuls-Cardona, S., Burjachs, F., Expósito, I., López-Polín, L., and López-Ortega, E. (2016). The Middle Pleistocene site of La Cansaladeta (Tarragona, Spain): Stratigraphic and archaeological succession. *Quaternary International* **393**, 137-157.
- Ozcelik, M. (2015). Optically stimulated luminescence (OSL) dating of quartz grains within the sand dykes cutting the lacustrine deposits in the Burdur area (SW Turkey) and its tectonic interpretation. *Arabian Journal of Geosciences* **9**, 1-12.
- Ozcelik, M. (2016). Evaluation of soft sediment deformation structures along the Fethiye-Burdur Fault Zone, SW Turkey. *Journal of Earth System Science* **125**, 343-358.
- Ozturk, M. Z., Erginal, A. E., Kiyak, N. G., and Ozturk, T. (2016). Cement fabrics and optical luminescence ages of beachrock, North Cyprus: Implications for Holocene sea-level changes. *Quaternary International* **401**, 132-140.
- Pagonis, V., Polymeris, G., and Kitis, G. (2015). On the effect of optical and isothermal treatments on luminescence signals from feldspars. *Radiation Measurements* **82**, 93-101.
- Palamakumbura, R. N., Robertson, A. H. F., Kinnaird, T. C., and Sanderson, D. C. W. (2016). Sedimentary development and correlation of Late Quaternary terraces in the Kyrenia Range, northern Cyprus, using a combination of sedimentology and optical luminescence data. *International Journal of Earth Sciences* **105**, 439-462.
- Peeters, J., Busschers, F. S., Stouthamer, E., Bosch, J. H. A., Van den Berg, M. W., Wallinga, J., Versendaal, A. J., Bunnik, F. P. M., and Middelkoop, H. (2016). Sedimentary architecture and chronostratigraphy of a late Quaternary incised-valley fill: A case study of the late Middle and Late Pleistocene Rhine system in the Netherlands. *Quaternary Science Reviews* **131, Part A**, 211-236.
- Peng, J., and Pagonis, V. (2016). Simulating comprehensive kinetic models for quartz luminescence using the R program KMS. *Radiation Measurements* **86**, 63-70.
- Polymeris, G. S., Kitis, G., Kiyak, N. G., Theodosoglou, E., Tsirliganis, N. C., Ertek, A., and Erginal, A. E. (2016). Dating fossil root cast (Black Sea coast, Turkey) using thermoluminescence: Implications for windblown drift of shelf carbonates during MIS 2. *Quaternary International* **401**, 184-193.
- Portenga, E. W., and Bishop, P. (2016). Confirming geomorphological interpretations based on portable OSL reader data. *Earth Surface Processes and Landforms* **41**, 427-432.
- Preoteasa, L., Vespremeanu-Stroe, A., Tăţui, F., Zăinescu, F., Timar-Gabor, A., and Cîrdan, I. (2016). The evolution of an asymmetric deltaic lobe (Sf. Gheorghe, Danube) in association with cyclic development of the river-mouth bar: Long-term pattern and present adaptations to human-induced sediment depletion. *Geomorphology* **253**, 59-73.
- Qiang, M., Jin, Y., Liu, X., Song, L., Li, H., Li, F., and Chen, F. (2016). Late Pleistocene and Holocene aeolian sedimentation in Gonghe Basin, northeastern Qinghai-Tibetan Plateau: Variability, processes, and climatic implications. *Quaternary Science Reviews* **132**, 57-73.
- Rawat, N. S., Muthe, K. P., Dhabekar, B., Gaikwad, N. P., and Kulkarni, M. S. (2015). On the feasibility of multiple assessment of dose using CW-OSL technique in Al₂O₃:C. *Radiation Measurements* **82**, 74-82.
- Ren, S., Song, C., and Li, J. (2016). Application of electron spin resonance (ESR) dating to ductile shearing: Examples from the Qinling orogenic belt, China. *Journal of Structural Geology* **85**, 12-17.

- Richter, D., and Krbetschek, M. (2015). The age of the Lower Paleolithic occupation at Schöningen. *Journal of Human Evolution* **89**, 46-56.
- Richter, D., Mittelstraß, D., Kreutzer, S., Pintaske, R., Dornich, K., and Fuchs, M. (2016). A new fully integrated X-ray irradiator system for dosimetric research. *Applied Radiation and Isotopes* **112**, 122-130.
- Ritz, J. F., Avagyan, A., Mkrtchyan, M., Nazari, H., Blard, P. H., Karakhanian, A., Philip, H., Balescu, S., Mahan, S., Huot, S., Münch, P., and Lamothe, M. (2016). Active tectonics within the NW and SE extensions of the Pambak-Sevan-Syunik fault: Implications for the present geodynamics of Armenia. *Quaternary International* **395**, 61-78.
- Ruszkiczay-Rüdiger, Z., Braucher, R., Novothny, A., Csillag, G., Fodor, L., Molnár, G., and Madarász, B. (2016). Tectonic and climatic control on terrace formation: Coupling in situ produced ^{10}Be depth profiles and luminescence approach, Danube River, Hungary, Central Europe. *Quaternary Science Reviews* **131**, 127-147.
- Sanjurjo-Sánchez, J., Gomez-Heras, M., Fort, R., Alvarez de Buergo, M., Izquierdo Benito, R., and Bru, M. A. (2016). Dating fires and estimating the temperature attained on stone surfaces. The case of Ciudad de Vascos (Spain). *Microchemical Journal* **127**, 247-255.
- Schielein, P., Schellmann, G., Lomax, J., Preusser, F., and Fiebig, M. (2015). Chronostratigraphy of the Hochterrassen in the lower Lech valley (Northern Alpine Foreland). *E&G Quaternary Science Journal* **64**, 15-28.
- Schildgen, T. F., Robinson, R. A. J., Savi, S., Phillips, W. M., Spencer, J. Q. G., Bookhagen, B., Scherler, D., Tofelde, S., Alonso, R. N., Kubik, P. W., Binnie, S. A., and Strecker, M. R. (2016). Landscape response to late Pleistocene climate change in NW Argentina: Sediment flux modulated by basin geometry and connectivity. *Journal of Geophysical Research F: Earth Surface* **121**, 392-414.
- Shen, Z., and Lang, A. (2016). Quartz fast component optically stimulated luminescence: Towards routine extraction for dating applications. *Radiation Measurements* **89**, 27-34.
- Shen, Z., Törnqvist, T. E., Mauz, B., Chamberlain, E. L., Nijhuis, A. G., and Sandoval, L. (2015). Episodic overbank deposition as a dominant mechanism of floodplain and delta-plain aggradation. *Geology* **43**, 875-878.
- Sivan, D., Greenbaum, N., Cohen-Seffer, R., Sisma-Ventura, G., Almogi-Labin, A., Porat, N., Melamed, Y., Boaretto, E., and Avnaim-Katav, S. (2016). Palaeo-environmental archive of groundwater-surface water interaction zone, the Kebara wetlands, Carmel coast, Israel. *Quaternary International* **396**, 138-149.
- Smedley, R. K., Glasser, N. F., and Duller, G. A. T. (2016). Luminescence dating of glacial advances at Lago Buenos Aires (~46 °S), Patagonia. *Quaternary Science Reviews* **134**, 59-73.
- Sun, X., Li, Y., Feng, X., Lu, C., Lu, H., Yi, S., Wang, S., and Wu, S.-Y. (2016). Pedostratigraphy of aeolian deposition near the Yunxian Man site on the Hanjiang River terraces, Yunxian Basin, central China. *Quaternary International* **400**, 187-194.
- Tamura, T., Kodama, Y., Bateman, M. D., Saitoh, Y., Yamaguchi, N., and Matsumoto, D. (2016). Late Holocene aeolian sedimentation in the Tottori coastal dune field, Japan Sea, affected by the East Asian winter monsoon. *Quaternary International* **397**, 147-158.

- Thomsen, K. J., Murray, A. S., Buylaert, J. P., Jain, M., Hansen, J. H., and Aubry, T. (2016). Testing single-grain quartz OSL methods using sediment samples with independent age control from the Bordes-Fitte rockshelter (Roches d'Abilly site, Central France). *Quaternary Geochronology* **31**, 77-96.
- Tolksdorf, J. F., Turner, F., Nelle, O., Peters, S., and Brückner, H. (2015). Environmental development and local human impact in the Jeetzel valley (N Germany) since 10 ka BP as detected by geoarchaeological analyses in a coupled aeolian and lacustrine sediment archive at Soven. *E&G Quaternary Science Journal* **64**, 95-110.
- Tripaldi, A., and Forman, S. L. (2016). Eolian depositional phases during the past 50 ka and inferred climate variability for the Pampean Sand Sea, western Pampas, Argentina. *Quaternary Science Reviews* **139**, 77-93.
- Tsakalos, E., Christodoulakis, J., and Charalambous, L. (2016). The Dose Rate Calculator (DRc) for Luminescence and ESR Dating—a Java Application for Dose Rate and Age Determination. *Archaeometry* **58**, 347-352.
- Tseng, C.-H., Lüthgens, C., Tsukamoto, S., Reimann, T., Frechen, M., and Böse, M. (2016). Late Pleistocene to Holocene alluvial tableland formation in an intra-mountainous basin in a tectonically active mountain belt — A case study in the Puli Basin, central Taiwan. *Quaternary Science Reviews* **132**, 26-39.
- Tsukamoto, S., and Rades, E. F. (2016). Performance of pulsed OSL stimulation for minimising the feldspar signal contamination in quartz samples. *Radiation Measurements* **84**, 26-33.
- Tudyka, K., and Bluszcz, A. (2016). A study on photomultiplier afterpulses in TL/OSL readers. *Radiation Measurements* **86**, 39-48.
- van Aardt, A. C., Bousman, C. B., Brink, J. S., Brook, G. A., Jacobs, Z., du Preez, P. J., Rossouw, L., and Scott, L. (2015). First chronological, Palaeoenvironmental, and archaeological data from the Baden-Baden fossil spring complex in the western Free State, South Africa. In "Changing Climates, Ecosystems and Environments within Arid Southern Africa and Adjoining Regions." pp. 117-152. Palaeoecology of Africa. CRC Press.
- van den Bergh, G. D., Li, B., Brumm, A., Grün, R., Yurnaldi, D., Moore, M. W., Kurniawan, I., Setiawan, R., Aziz, F., Roberts, R. G., Suyono, Storey, M., Setiabudi, E., and Morwood, M. J. (2016). Earliest hominin occupation of Sulawesi, Indonesia. *Nature* **529**, 208-211.
- Voinchet, P., Brulhet, J., Cojan, I., Bahain, J.-J., and Falguères, C. (2015). Datation ESR des terrasses alluviales pléistocènes de la vallée de l'Aube : premiers résultats. *Quaternaire* **26**, 185-193.
- Wacha, L., Vlahović, I., Tsukamoto, S., Kovačić, M., Hasan, O., and Pavelić, D. (2016). The chronostratigraphy of the latest Middle Pleistocene aeolian and alluvial activity on the Island of Hvar, eastern Adriatic, Croatia. *Boreas* **45**, 152-164.
- Weiss, M. (2015). Stone tool analysis and context of a new late Middle Paleolithic site in western central Europe – Pouch-Terrassenpfeiler, Ldkr. Anhalt-Bitterfeld, Germany. In "Quartär: Internationales Jahrbuch zur Eiszeitalter- und Steinzeitforschung / International Yearbook for Ice Age and Stone Age Research." (W. Müller, S. Costamagno, B. V. Eriksen, T. Hauck, Z. Mester, L. Moreau, D. Richter, I. Schmidt, M. Street, E. Turner, and G.-C. Weniger, Eds.), pp. 23-62. Verlag Marie Leidorf, Rahden.
- Williams, M. A. J., Duller, G. A. T., Williams, F. M., Woodward, J. C., Macklin, M. G., El Tom, O. A. M., Munro, R. N., El Hajaz, Y., and Barrows, T. T. (2015). Causal links between Nile floods and eastern Mediterranean sapropel formation during the past 125 kyr confirmed by OSL and radiocarbon dating of Blue and White Nile sediments. *Quaternary Science Reviews* **130**, 89-108.

- Wolf, D., Baumgart, P., Meszner, S., Fülling, A., Haubold, F., Sahakyan, L., Meliksetian, K., and Faust, D. (2016). Loess in Armenia – stratigraphic findings and palaeoenvironmental indications. *Proceedings of the Geologists' Association* **127**, 29-39.
- Wu, C., Wu, G., Shen, J., Dai, X., Chen, J., and Song, H. (2016). Late Quaternary tectonic activity and crustal shortening rate of the Bogda mountain area, eastern Tian Shan, China. *Journal of Asian Earth Sciences* **119**, 20-29.
- Yang, X., Forman, S., Hu, F., Zhang, D., Liu, Z., and Li, H. (2016). Initial insights into the age and origin of the Kubuqi sand sea of northern China. *Geomorphology* **259**, 30-39.
- Yu, K., Hartmann, K., Nottebaum, V., Stauch, G., Lu, H., Zeeden, C., Yi, S., Wünnemann, B., and Lehmkuhl, F. (2016). Discriminating sediment archives and sedimentary processes in the arid endorheic Ejina Basin, NW China using a robust geochemical approach. *Journal of Asian Earth Sciences* **119**, 128-144.
- Zabcı, C., Sançar, T., Akyüz, H. S., and Kırık, N. G. (2015). Spatial slip behavior of large strike-slip fault belts: Implications for the Holocene slip rates of the eastern termination of the North Anatolian Fault, Turkey. *Journal of Geophysical Research: Solid Earth* **120**, 8591-8609.
- Zeng, L., Lu, H., Yi, S., Li, Y., Lv, A., Zhang, W., Xu, Z., Wu, H., Feng, H., and Cui, M. (2016). New magnetostratigraphic and pedostratigraphic investigations of loess deposits in north-east China and their implications for regional environmental change during the Mid-Pleistocene climatic transition. *Journal of Quaternary Science* **31**, 20-32.
- Zhang, J., Tsukamoto, S., Jia, Y., and Frechen, M. (2016). Lake level reconstruction of Huangqihai Lake in northern China since MIS 3 based on pulsed optically stimulated luminescence dating. *Journal of Quaternary Science* **31**, 225-238.
- Zhao, H., Sheng, Y., Li, B., and Fan, Y. (2016). Holocene environment changes around the Sara Us River, northern China, revealed by optical dating of lacustrine–aeolian sediments. *Journal of Asian Earth Sciences* **120**, 184-191.
- Zhao, X., Huang, C. C., Pang, J., Zha, X., Guo, Y., and Hu, G. (2016). Holocene climatic events recorded in palaeoflood slackwater deposits along the middle Yiluohe River valley, middle Yellow River basin, China. *Journal of Asian Earth Sciences* **123**, 85-94.
- Zhu, B. Q. (2016). Atmospheric significance of aeolian salts in the sandy deserts of northwestern China. *Solid Earth* **7**, 191-203.
- Zieliński, P., Sokołowski, R. J., Woronko, B., Fedorowicz, S., Jankowski, M., and Standzikowski, K. (2016). Sandy deposition in a small dry valley in the periglacial zone of the Last Glacial Maximum: A case study from the Józefów site, SE Poland. *Quaternary International* **399**, 58-71.
- Zink, A., Richardin, P., Gandolfo, N., and Rante, R. (2015). Le Grand Khorasan: Datation par des méthodes physico-chimiques (carbone 14 et luminescence). In "Greater Khorasan: History, Geography, Archaeology and Material Culture." pp. 161-176.